Alabama Department of Environmental Management adem.alabama.gov

1400 Coliseum Blvd. 36110-2400 ■ Post Office Box 301463 Montgomery, Alabama 36130-1463 (334) 271-7700 FAX (334) 271-7950

June 29, 2011

MR DON VAUGHN CHIEF ENGINEER ALDOT CBP SW AREA 3700 FAIRGROUNDS ROAD MONTGOMERY, AL 36110

RE: Revised Draft Permit

NPDES Permit Number: AL0081167

Dear Mr. Vaughn:

Transmitted herein is a draft of the referenced permit.

We would appreciate your comments on the permit within 30 days of the date of this letter. Please direct any comments of a technical or administrative nature to the undersigned.

By copy of this letter and the draft permit, we are also requesting comments within the same time frame from EPA.

The Alabama Department of Environmental Management encourages you to voluntarily consider pollution prevention practices and alternatives at your facility. Pollution Prevention may assist you in complying with effluent limitations, and possibly reduce or eliminate monitoring requirements.

Should you have any questions, please contact the undersigned by email at bmarshall@adem.state.al.us or by phone at (334) 271-7895.

Sincerely,

Eric Sanderson, Chief Industrial Section Water Division

pc via website:

Enclosure: **Draft Permit**

Montgomery Field Office

EPA Region IV

U.S. Fish & Wildlife Service AL Historical Commission

Advisory Council on Historic Preservation

Department of Conservation and Natural Resources

SCANNED

JUL 07 2011





NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

PERMITTEE:	ALDOT CBP SW AREA
FACILITY LOCATION:	1588 CONCRETE DRIVE MONTGOMERY, AL 36110
PERMIT NUMBER:	AL0081167
RECEIVING WATERS:	DSN001: ALABAMA RIVER VIA CONCRETE STORM DITCH
Alabama Water Pollution Control Act Management Act, as amended, Code of	provisions of the Federal Water Pollution Control Act, as amended, 33 U.S.C. §§1251-1378 (the "FWPCA"), th t, as amended, Code of Alabama 1975 , §§ 22-22-1 to 22-22-14 (the "AWPCA"), the Alabama Environmenta § Alabama 1975 , §§22-22A-1 to 22-22A-15, and rules and regulations adopted thereunder, and subject further to s permit, the Permittee is hereby authorized to discharge into the above-named receiving waters.
ISSUANCE DATE:	
EFFECTIVE DATE:	
EXPIRATION DATE:	

INDUSTRIAL SECTION NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT

TABLE OF CONTENTS

PART I	DISCHARGE LIMITATIONS, CONDITIONS, AND REQUIREMENTS	4
A.	DISCHARGE LIMITATIONS AND MONITORING REQUIREMENTS	4
B.	DISCHARGE MONITORING AND RECORD KEEPING REQUIREMENTS	
	1. Representative Sampling	
	2. Test Procedures	
	Recording of Results Records Retention and Production	
	5. Monitoring Equipment and Instrumentation	<i>t</i>
C.	DISCHARGE REPORTING REQUIREMENTS	<i>e</i>
	I. Reporting of Monitoring Requirements	<i>e</i>
	2. Noncompliance Notification	
D.	OTHER REPORTING AND NOTIFICATION REQUIREMENTS	
	I. Anticipated Noncompliance	
	3. Updating Information	8
	4. Duty to Provide Information.	8
	5. Cooling Water and Boiler Water Additives	
E.	SCHEDULE OF COMPLIANCE	
PART II	OTHER REQUIREMENTS, RESPONSIBILITIES, AND DUTIES	
Α.	OPERATIONAL AND MANAGEMENT REQUIREMENTS	
	I. Facilities Operation and Maintenance	1(
	3. Spill Prevention, Control, and Management	10
В.	OTHER RESPONSIBILITIES	10
	I. Duty to Mitigate Adverse Impacts	10
	2. Right of Entry and Inspection	
C.	BYPASS AND UPSET	
	I. Bypass	10
D.	DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES	
	I. Duty to Comply	
	2. Removed Substances	12
	3. Loss or Failure of Treatment Facilities.	12
E.	Compliance with Statutes and Rules PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE	
E.	Duty to Reapply or Notify of Intent to Cease Discharge	
	Change in Discharge	
	3. Transfer of Permit.	13
	4. Permit Modification and Revocation	13
	6. Permit Suspension	14
	7. Request for Permit Action Does Not Stay Any Permit Requirement	
F.	COMPLIANCE WITH TOXIC POLLUTANT STANDARD OR PROHIBITION	
G.	DISCHARGE OF WASTEWATER GENERATED BY OTHERS.	
PART III	OTHER PERMIT CONDITIONS	15
A.	CIVIL AND CRIMINAL LIABILITY	15
B.	OIL AND HAZARDOUS SUBSTANCE LIABILITY	15
C.	PROPERTY AND OTHER RIGHTS	
D.	AVAILABILITY OF REPORTS	
E.	EXPIRATION OF PERMITS FOR NEW OR INCREASED DISCHARGES	16
F.	COMPLIANCE WITH WATER QUALITY STANDARDS	
G.	GROUNDWATER	
H.	DEFINITIONS	
1.	SEVERABILITY	19
PART IV	ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS	20
A.	BEST MANAGEMENT PRACTICES (BMP) PLAN REQUIREMENTS	20
ATTACH	IMENT:	

PART I DISCHARGE LIMITATIONS, CONDITIONS, AND REQUIREMENTS

DISCHARGE LIMITATIONS AND MONITORING REQUIREMENTS

Ą

During the period beginning on the effective date of this permit and lasting through the expiration date of this permit, the permittee is authorized to discharge from the following point source(s) outfall(s), described more fully in the permittee's application:

Such discharge shall be limited and monitored by the permittee as specified below:

DSN001-1: Remediated Groundwater 3/

FNHLIHAH		DISC	HARGE LIV	MITATIONS		MONITC	MONITORING REQUIREMENTS 1	MENTS 1/
CHARACTERISTIC	Daily Maximum	Monthly Average	<u>Daily</u> Minimum	hly <u>Daily</u> <u>Daily</u> nge Minimum Maximum	Monthly Average	Measurement Frequency 2/	Sample Type	Seasonal
Hd		ı	REPORT S 11	REPORT S.U.	,	Once/2 Weeks	Grab	,
Trichloroethylene	ī	1		37.94 ug/l	17.47 ug/l	Once/2 Weeks	Grab	Þ
Flow, In Conduit or Thru Treatment Plant	REPORT MGD	REPORT MGD	1	,	ı	Once/2 Weeks	Calculated	,

VISIBLE OIL, FLOATING SOLIDS OR VISIBLE FOAM IN OTHER THAN TRACE AMOUNTS. THE DISCHARGE SHALL HAVE NO SHEEN, AND THERE SHALL BE NO DISCHARGE OF

- Samples collected to comply with the monitoring requirements specified above shall be collected at the following location: At the nearest accessible location just prior to discharge and after final treatment. Unless otherwise specified, composite samples shall be time composite samples collected using automatic sampling equipment or a minimum of eight (8) equal volume grab samples collected over equal time intervals. All composite samples shall be collected for the total period of discharge not to exceed 24 hours. \leq
 - If only one sampling event occurs during a month, the sample result shall be reported on the discharge monitoring report as both the monthly average and daily maximum value for all parameters with a monthly average limitation. 7
- 3/ See Part IV.A for Best Management Practices Plan Requirements.

B. DISCHARGE MONITORING AND RECORD KEEPING REQUIREMENTS

Representative Sampling

Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored discharge and shall be in accordance with the provisions of this permit.

2. Test Procedures

For the purpose of reporting and compliance, permittees shall use one of the following procedures:

- a. For parameters with an EPA established Minimum Level (ML), report the measured value if the analytical result is at or above the ML and report "0" for values below the ML. Test procedures for the analysis of pollutants shall conform to 40 CFR Part 136 and guidelines published pursuant to Section 304(h) of the FWPCA, 33 U.S.C. Section 1314(h). If more than one method for analysis of a substance is approved for use, a method having a minimum level lower than the permit limit shall be used. If the minimum level of all methods is higher than the permit limit, the method having the lowest minimum level shall be used and a report of less than the minimum level shall be reported as zero and will constitute compliance, however should EPA approve a method with a lower minimum level during the term of this permit the permittee shall use the newly approved method.
- b. For pollutants parameters without an established ML, an interim ML may be utilized. The interim ML shall be calculated as 3.18 times the Method Detection Level (MDL) calculated pursuant to 40 CFR Part 136, Appendix B.

Permittees may develop an effluent matrix-specific ML, where an effluent matrix prevents attainment of the established ML. However, a matrix specific ML shall be based upon proper laboratory method and technique. Matrix-specific MLs must be approved by the Department, and may be developed by the permittee during permit issuance, reissuance, modification, or during compliance schedule.

In either case the measured value should be reported if the analytical result is at or above the ML and "0" reported for values below the ML.

c. For parameters without an EPA established ML, interim ML, or matrix-specific ML, a report of less than the detection limit shall constitute compliance if the detection limit of all analytical methods is higher than the permit limit using the most sensitive EPA approved method. For the purpose of calculating a monthly average, "0" shall be used for values reported less than the detection limit.

The Minimum Level utilized for procedures A and B above shall be reported on the permittee's DMR. When an EPA approved test procedure for analysis of a pollutant does not exist, the Director shall approve the procedure to be used.

3. Recording of Results

For each measurement or sample taken pursuant to the requirements of this permit, the permittee shall record the following information:

- a. The facility name and location, point source number, date, time and exact place of sampling;
- b. The name(s) of person(s) who obtained the samples or measurements;
- c. The dates and times the analyses were performed;
- d. The name(s) of the person(s) who performed the analyses;
- e. The analytical techniques or methods used, including source of method and method number; and
- f. The results of all required analyses.

4. Records Retention and Production

The permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by the permit, and records of all data used to complete the above reports or the application for this permit, for a period of at least three years from the date of the sample measurement, report or application. This period may be extended by request of the Director at any time. If litigation or other enforcement action, under the AWPCA and/or the FWPCA, is ongoing which involves any of the above records, the records shall be kept until the litigation is resolved. Upon the written request of the Director or his designee, the permittee shall provide the Director with a copy of any record required to be retained by this paragraph. Copies of these records shall not be submitted unless requested.

All records required to be kept for a period of three years shall be kept at the permitted facility or an alternate location approved by the Department in writing and shall be available for inspection.

5. Monitoring Equipment and Instrumentation

All equipment and instrumentation used to determine compliance with the requirements of this permit shall be installed, maintained, and calibrated in accordance with the manufacturer's instructions or, in the absence of manufacturer's instructions, in accordance with accepted practices. The permittee shall develop and maintain quality assurance procedures to ensure proper operation and maintenance of all equipment and instrumentation. The quality assurance procedures shall include the proper use, maintenance, and installation, when appropriate, of monitoring equipment at the plant site.

C. DISCHARGE REPORTING REQUIREMENTS

- 1. Reporting of Monitoring Requirements
 - a. The permittee shall conduct the required monitoring in accordance with the following schedule:

MONITORING REQUIRED MORE FREQUENTLY THAN MONTHLY AND MONTHLY shall be conducted during the first full month following the effective date of coverage under this permit and every month thereafter.

QUARTERLY MONITORING shall be conducted at least once during each calendar quarter. Calendar quarters are the periods of January through March, April through June, July through September, and October through December. The permittee shall conduct the quarterly monitoring during the first complete calendar quarter following the effective date of this permit and is then required to monitor once during each quarter thereafter. Quarterly monitoring may be done anytime during the quarter, unless restricted elsewhere in this permit, but it should be submitted with the last DMR due for the quarter, i.e. (March, June, September and December DMRs).

SEMIANNUAL MONITORING shall be conducted at least once during the period of January through June and at least once during the period of July through December. The permittee shall conduct the semiannual monitoring during the first complete calendar semiannual period following the effective date of this permit and is then required to monitor once during each semiannual period thereafter. Semiannual monitoring may be done anytime during the semiannual period, unless restricted elsewhere in this permit, but it should be submitted with the last DMR due for the month of the semiannual period, i.e. (June and December DMRs).

ANNUAL MONITORING shall be conducted at least once during the period of January through December. The permittee shall conduct the annual monitoring during the first complete calendar annual period following the effective date of this permit and is then required to monitor once during each annual period thereafter. Annual monitoring may be done anytime during the year, unless restricted elsewhere in this permit, but it should be submitted with the December DMR.

b. The permittee shall submit discharge monitoring reports (DMRs) on the forms provided by the Department and in accordance with the following schedule:

REPORTS OF MORE FREQUENTLY THAN MONTHLY AND MONTHLY TESTING shall be submitted on a quarterly basis. The first report is due on the 28th day of (). The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

- c. The DMR must be legible and bear an original signature. Photo and electronic copies of the signature are not acceptable and shall not satisfy the reporting requirements of this permit. If the permittee, using approved analytical methods as specified in Provision I. B. 2. monitors any discharge from a point source for a limited substance identified in Provision I. A. of this permit more frequently than required by this permit, the results of such monitoring shall be included in the calculation and reporting of values on the DMR Form and the increased frequency shall be indicated on the DMR Form. In the event no discharge from a point source identified in Provision I. A of this permit and described more fully in the permittee's application occurs during a monitoring period, the permittee shall report "No Discharge" for such period on the appropriate DMR Form.
- d. All reports and forms required to be submitted by this permit, the AWPCA and the Department's Rules and regulations, shall be signed by a "responsible official" of the permittee as defined in ADEM Administrative Code Rule 335-6-6-.09 or a "duly authorized representative" of such official as defined in ADEM Administrative Code Rule 335-6-6-.09 and shall bear the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons

directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

- e. The permittee may certify in writing that a discharge will not occur for an extended period of time and after such certification shall not be required to submit monitoring reports. Written notification of a planned resumption of discharge shall be submitted at least 30 days prior to resumption of the discharge. If an unplanned resumption of discharge occurs, written notification shall be submitted within 7 days of the resumption. In any case, all discharges shall comply with all provisions of this permit.
- f. All Discharge Monitoring Report forms required to be submitted by this permit, the AWPCA and the Department's Rules, shall be addressed to:

Alabama Department of Environmental Management
Permits and Services Division
Environmental Data Section
Post Office Box 301463
Montgomery, Alabama 36130-1463

Certified and Registered Mail containing Discharge Monitoring Reports shall be addressed to:

Alabama Department of Environmental Management
Permits and Services Division
Environmental Data Section
1400 Coliseum Boulevard
Montgomery, Alabama 36110-2059

g. All other correspondence and reports required to be submitted by this permit, the AWPCA and the Department's Rules, shall be addressed to:

Alabama Department of Environmental Management Water Division Post Office Box 301463 Montgomery, Alabama 36130-1463

Certified and Registered Mail shall be addressed to:

Alabama Department of Environmental Management Water Division 1400 Coliseum Boulevard Montgomery, Alabama 36110-2059

h. If this permit is a reissuance, then the permittee shall continue to submit DMRs in accordance with the requirements of their previous permit until such time as DMRs are due as discussed in Part I.C.1.b. above.

2. Noncompliance Notification

a. 24-Hour Noncompliance Reporting

The permittee shall report to the Director, within 24-hours of becoming aware of any noncompliance which may endanger health or the environment. This shall include but is not limited to the following circumstances:

- (1) does not comply with any daily minimum or maximum discharge limitation for an effluent characteristic specified in Provision I. A. of this permit which is denoted by an "(X)",
- (2) threatens human health or welfare, fish or aquatic life, or water quality standards,
- does not comply with an applicable toxic pollutant effluent standard or prohibition established under Section 307(a) of the FWPCA, 33 U.S.C. Section 1317(a),
- (4) contains a quantity of a hazardous substance which has been determined may be harmful to public health or welfare under Section 311(b)(4) of the FWPCA, 33 U.S.C. Section 1321(b)(4),
- (5) exceeds any discharge limitation for an effluent characteristic as a result of an unanticipated bypass or upset, and

is an unpermitted direct or indirect discharge of a pollutant to a water of the state (unpermitted discharges properly reported to the Department under any other requirement are not required to be reported under this provision).

The permittee shall orally report the occurrence and circumstances of such discharge to the Director within 24-hours after the permittee becomes aware of the occurrence of such discharge. In addition to the oral report, the permittee shall submit to the Director or Designee a written report as provided in Part I.C.2.c. no later than five (5) days after becoming aware of the occurrence of such discharge.

- b. If for any reason, the permittee's discharge does not comply with any limitation of this permit, the permittee shall submit to the Director or Designee a written report as provided in Part I.C.2.c. below, such report shall be submitted with the next Discharge Monitoring Report required to be submitted by Part I.C.1. of this permit after becoming aware of the occurrence of such noncompliance.
- c. Any written report required to be submitted to the Director or Designee by Part I.C.2 a. or b. shall be submitted using a copy of the Noncompliance Notification Form provided with this permit and shall include the following information:
 - (1) A description of the discharge and cause of noncompliance;
 - (2) The period of noncompliance, including exact dates and times or, if not corrected, the anticipated time the noncompliance is expected to continue; and
 - (3) A description of the steps taken and/or being taken to reduce or eliminate the noncomplying discharge and to prevent its recurrence.

D. OTHER REPORTING AND NOTIFICATION REQUIREMENTS

I. Anticipated Noncompliance

The permittee shall give the Director written advance notice of any planned changes or other circumstances regarding a facility which may result in noncompliance with permit requirements.

2. Termination of Discharge

The permittee shall notify the Director, in writing, when all discharges from any point source(s) identified in Provision I. A. of this permit have permanently ceased. This notification shall serve as sufficient cause for instituting procedures for modification or termination of the permit.

- 3. Updating Information
 - a. The permittee shall inform the Director of any change in the permittee's mailing address or telephone number or in the permittee's designation of a facility contact or office having the authority and responsibility to prevent and abate violations of the AWPCA, the Department's Rules and the terms and conditions of this permit, in writing, no later than ten (10) days after such change. Upon request of the Director or his designee, the permittee shall furnish the Director with an update of any information provided in the permit application.
 - b. If the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Director, it shall promptly submit such facts or information with a written explanation for the mistake and/or omission.
- 4. Duty to Provide Information

The permittee shall furnish to the Director, within a reasonable time, any information which the Director or his designee may request to determine whether cause exists for modifying, revoking and re-issuing, suspending, or terminating this permit, in whole or in part, or to determine compliance with this permit.

- 5. Cooling Water and Boiler Water Additives
 - a. The permittee shall notify the Director in writing not later than thirty (30) days prior to instituting the use of any biocide corrosion inhibitor or chemical additive in a cooling or boiler system, not identified in the application for this permit, from which discharge is allowed by this permit. Notification is not required for additives that do not contain a heavy metal(s) as an active ingredient and that pass through a wastewater treatment system prior to discharge nor is notification required for additives that should not reasonably be expected to cause the cooling water or boiler water to exhibit toxicity as determined by analysis of manufacturer's data or testing by the permittee. Such notification shall include:
 - (1) name and general composition of biocide or chemical,

- (2) 96-hour median tolerance limit data for organisms representative of the biota of the waterway into which the discharge will ultimately reach,
- (3) quantities to be used,
- (4) frequencies of use,
- (5) proposed discharge concentrations, and
- (6) EPA registration number, if applicable.
- b. The use of a biocide or additive containing tributyl tin, tributyl tin oxide, zinc, chromium or related compounds in cooling or boiler system(s), from which a discharge regulated by this permit occurs, is prohibited except as exempted below. The use of a biocide or additive containing zinc, chromium or related compounds may be used in special circumstances if (1) the permit contains limits for these substances, or (2) the applicant demonstrates during the application process that the use of zinc, chromium or related compounds as a biocide or additive will not pose a reasonable potential to violate the applicable State water quality standards for these substances. The use of any additive, not identified in this permit or in the application for this permit or not exempted from notification under this permit is prohibited, prior to a determination by the Department that permit modification to control discharge of the additive is not required or prior to issuance of a permit modification controlling discharge of the additive.

6. Permit Issued Based On Estimated Characteristics

- a. If this permit was issued based on estimates of the characteristics of a process discharge reported on an EPA NPDES Application Form 2D (EPA Form 3510-2D), the permittee shall complete and submit an EPA NPDES Application Form 2C (EPA Form 3510-2C) no later than two years after the date that discharge begins. Sampling required for completion of the Form 2C shall occur when a discharge(s) from the process(s) causing the new or increased discharge is occurring. If this permit was issued based on estimates concerning the composition of a storm water discharge(s), the permittee shall perform the sampling required by EPA NPDES Application Form 2F (EPA Form 3510-2F) no later than one year after the industrial activity generating the storm water discharge has been fully initiated.
- b. This permit shall be reopened if required to address any new information resulting from the completion and submittal of the Form 2C and or 2F.

E. SCHEDULE OF COMPLIANCE

1. The permittee shall achieve compliance with the discharge limitations specified in Provision I. A. in accordance with the following schedule:

COMPLIANCE SHALL BE ATTAINED ON THE EFFECTIVE DATE OF THIS PERMIT

2. No later than 14 calendar days following a date identified in the above schedule of compliance, the permittee shall submit either a report of progress or, in the case of specific actions being required by identified dates, a written notice of compliance or noncompliance. In the latter case, the notice shall include the cause of noncompliance, any remedial actions taken, and the probability of meeting the next scheduled requirement.

PART II OTHER REQUIREMENTS, RESPONSIBILITIES, AND DUTIES

A. OPERATIONAL AND MANAGEMENT REQUIREMENTS

1. Facilities Operation and Maintenance

The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of the permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of backup or auxiliary facilities only when necessary to achieve compliance with the conditions of the permit.

2. Best Management Practices

- a. Dilution water shall not be added to achieve compliance with discharge limitations except when the Director or his designee has granted prior written authorization for dilution to meet water quality requirements.
- b. The permittee shall prepare, implement, and maintain a Spill Prevention, Control and Countermeasures (SPCC) Plan in accordance with 40 C.F.R. Section 112 if required thereby.
- c. The permittee shall prepare, submit for approval and implement a Best Management Practices (BMP) Plan for containment of any or all process liquids or solids, in a manner such that these materials do not present a significant potential for discharge, if so required by the Director or his designee. When submitted and approved, the BMP Plan shall become a part of this permit and all requirements of the BMP Plan shall become requirements of this permit.

3. Spill Prevention, Control, and Management

The permittee shall provide spill prevention, control, and/or management sufficient to prevent any spills of pollutants from entering a water of the state or a publicly or privately owned treatment works. Any containment system used to implement this requirement shall be constructed of materials compatible with the substance(s) contained and which shall prevent the contamination of groundwater and such containment system shall be capable of retaining a volume equal to 110 percent of the capacity of the largest tank for which containment is provided.

B. OTHER RESPONSIBILITIES

I. Duty to Mitigate Adverse Impacts

The permittee shall promptly take all reasonable steps to mitigate and minimize or prevent any adverse impact on human health or the environment resulting from noncompliance with any discharge limitation specified in Provision I. A. of this permit, including such accelerated or additional monitoring of the discharge and/or the receiving waterbody as necessary to determine the nature and impact of the noncomplying discharge.

2. Right of Entry and Inspection

The permittee shall allow the Director, or an authorized representative, upon the presentation of proper credentials and other documents as may be required by law to:

- a. enter upon the permittee's premises where a regulated facility or activity or point source is located or conducted, or where records must be kept under the conditions of the permit;
- b. have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
- c. inspect any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under the permit; and
- d. sample or monitor, for the purposes of assuring permit compliance or as otherwise authorized by the AWPCA, any substances or parameters at any location.

C. BYPASS AND UPSET

I. Bypass

a. Any bypass is prohibited except as provided in b. and c. below:

- b. A bypass is not prohibited if:
 - (1) It does not cause any discharge limitation specified in Provision I. A. of this permit to be exceeded;
 - (2) It enters the same receiving stream as the permitted outfall and;
 - (3) It is necessary for essential maintenance of a treatment or control facility or system to assure efficient operation of such facility or system.
- c. A bypass is not prohibited and need not meet the discharge limitations specified in Provision I. A. of this permit if:
 - (1) It is unavoidable to prevent loss of life, personal injury, or severe property damage;
 - (2) There are no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime (this condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance); and
 - (3) The permittee submits a written request for authorization to bypass to the Director at least ten (10) days prior to the anticipated bypass (if possible), the permittee is granted such authorization, and the permittee complies with any conditions imposed by the Director to minimize any adverse impact on human health or the environment resulting from the bypass.
- d. The permittee has the burden of establishing that each of the conditions of Provision II.C.1.b. or c. have been met to qualify for an exception to the general prohibition against bypassing contained in a. and an exemption, where applicable, from the discharge limitations specified in Provision I. A. of this permit.

2. Upset

- a. A discharge which results from an upset need not meet the discharge limitations specified in Provision I. A. of this permit if:
 - (1) No later than 24-hours after becoming aware of the occurrence of the upset, the permittee orally reports the occurrence and circumstances of the upset to the Director or his designee; and
 - (2) No later than five (5) days after becoming aware of the occurrence of the upset, the permittee furnishes the Director with evidence, including properly signed, contemporaneous operating logs, or other relevant evidence, demonstrating that (i) an upset occurred; (ii) the permittee can identify the specific cause(s) of the upset; (iii) the permittee's facility was being properly operated at the time of the upset; and (iv) the permittee promptly took all reasonable steps to minimize any adverse impact on human health or the environment resulting from the upset.
- b. The permittee has the burden of establishing that each of the conditions of Provision II. C.2.a. of this permit have been met to qualify for an exemption from the discharge limitations specified in Provision I.A. of this permit.

D. DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES

- 1. Duty to Comply
 - a. The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the AWPCA and the FWPCA and is grounds for enforcement action, for permit termination, revocation and reissuance, suspension, modification; or denial of a permit renewal application.
 - b. The necessity to halt or reduce production or other activities in order to maintain compliance with the conditions of the permit shall not be a defense for a permittee in an enforcement action.
 - c. The discharge of a pollutant from a source not specifically identified in the permit application for this permit and not specifically included in the description of an outfall in this permit is not authorized and shall constitute noncompliance with this permit.
 - d. The permittee shall take all reasonable steps, including cessation of production or other activities, to minimize or prevent any violation of this permit or to minimize or prevent any adverse impact of any permit violation.
 - e. Nothing in this permit shall be construed to preclude and negate the permittee's responsibility or liability to apply for, obtain, or comply with other ADEM, Federal, State, or Local Government permits, certifications, licenses, or other approvals.

Removed Substances

Solids, sludges, filter backwash, or any other pollutant or other waste removed in the course of treatment or control of wastewaters shall be disposed of in a manner that complies with all applicable Department Rules.

3. Loss or Failure of Treatment Facilities

Upon the loss or failure of any treatment facilities, including but not limited to the loss or failure of the primary source of power of the treatment facility, the permittee shall, where necessary to maintain compliance with the discharge limitations specified in Provision I. A. of this permit, or any other terms or conditions of this permit, cease, reduce, or otherwise control production and/or all discharges until treatment is restored. If control of discharge during loss or failure of the primary source of power is to be accomplished by means of alternate power sources, standby generators, or retention of inadequately treated effluent, the permittee must furnish to the Director within six months a certification that such control mechanisms have been installed.

4. Compliance with Statutes and Rules

- a. This permit has been issued under ADEM Administrative Code, Chapter 335-6-6. All provisions of this chapter, that are applicable to this permit, are hereby made a part of this permit. A copy of this chapter may be obtained for a small charge from the Office of General Counsel, Alabama Department of Environmental Management, 1400 Coliseum Blvd., Montgomery, AL 36130.
- b. This permit does not authorize the noncompliance with or violation of any Laws of the State of Alabama or the United States of America or any regulations or rules implementing such laws. FWPCA, 33 U.S.C. Section 1319, and Code of Alabama 1975, Section 22-22-14.

E. PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE

- 1. Duty to Reapply or Notify of Intent to Cease Discharge
 - a. If the permittee intends to continue to discharge beyond the expiration date of this permit, the permittee shall file a complete permit application for reissuance of this permit at least 180 days prior to its expiration. If the permittee does not intend to continue discharge beyond the expiration of this permit, the permittee shall submit written notification of this intent which shall be signed by an individual meeting the signatory requirements for a permit application as set forth in ADEM Administrative Code Rule 335-6-6-09.
 - b. Failure of the permittee to apply for reissuance at least 180 days prior to permit expiration will void the automatic continuation of the expiring permit provided by ADEM Administrative Code Rule 335-6-6-.06 and should the permit not be reissued for any reason any discharge after expiration of this permit will be an unpermitted discharge.

2. Change in Discharge

- a. The permittee shall apply for a permit modification at least 180 days in advance of any facility expansion, production increase, process change, or other action that could result in the discharge of additional pollutants or increase the quantity of a discharged pollutant such that existing permit limitations would be exceeded or that could result in an additional discharge point. This requirement applies to pollutants that are or that are not subject to discharge limitations in this permit. No new or increased discharge may begin until the Director has authorized it by issuance of a permit modification or a reissued permit.
- b. The permittee shall notify the Director as soon as it is known or there is reason to believe:
 - (1) That any activity has occurred or will occur which would result in the discharge on a routine or frequent basis, of any toxic pollutant which is not limited in this permit, if that discharge will exceed the highest of the following notification levels:
 - (a) one hundred micrograms per liter;
 - (b) two hundred micrograms per liter for acrolein and acrylonitrile; five hundred micrograms per liter for 2,4-dinitrophenol and for 2-methyl-4.6-dini-trophenol; and one milligram per liter for antimony;
 - (c) five times the maximum concentration value reported for that pollutant in the permit application; or
 - (2) That any activity has occurred or will occur which would result in any discharge, on a non-routine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following notification levels:
 - (a) five hundred micrograms per liter;
 - (b) one milligram per liter for antimony;

(c) ten times the maximum concentration value reported for that pollutant in the permit application.

3. Transfer of Permit

This permit may not be transferred or the name of the permittee changed without notice to the Director and subsequent modification or revocation and reissuance of the permit to identify the new permittee and to incorporate any other changes as may be required under the FWPCA or AWPCA. In the case of a change in name, ownership or control of the permittee's premises only, a request for permit modification in a format acceptable to the Director is required at least 30 days prior to the change. In the case of a change in name, ownership or control of the permittee's premises accompanied by a change or proposed change in effluent characteristics, a complete permit application is required to be submitted to the Director at least 180 days prior to the change. Whenever the Director is notified of a change in name, ownership or control, he may decide not to modify the existing permit and require the submission of a new permit application.

4. Permit Modification and Revocation

- a. This permit may be modified or revoked and reissued, in whole or in part, during its term for cause, including but not limited to, the following:
 - (1) If cause for termination under Provision II. E. 5. of this permit exists, the Director may choose to revoke and reissue this permit instead of terminating the permit;
 - (2) If a request to transfer this permit has been received, the Director may decide to revoke and reissue or to modify the permit; or
 - (3) If modification or revocation and reissuance is requested by the permittee and cause exists, the Director may grant the request.
- b. This permit may be modified during its term for cause, including but not limited to, the following:
 - (1) If cause for termination under Provision II. E. 5. of this permit exists, the Director may choose to modify this permit instead of terminating this permit;
 - (2) There are material and substantial alterations or additions to the facility or activity generating wastewater which occurred after permit issuance which justify the application of permit conditions that are different or absent in the existing permit;
 - (3) The Director has received new information that was not available at the time of permit issuance and that would have justified the application of different permit conditions at the time of issuance;
 - A new or revised requirement(s) of any applicable standard or limitation is promulgated under Sections 301(b)(2)(C), (D), (E), and (F), and 307(a)(2) of the FWPCA;
 - (5) Errors in calculation of discharge limitations or typographical or clerical errors were made;
 - (6) To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, when the standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or by judicial decision after the permit was issued;
 - (7) To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, permits may be modified to change compliance schedules;
 - (8) To agree with a granted variance under 30l(c), 30l(g), 30l(h), 30l(k), or 3l6(a) of the FWPCA or for fundamentally different factors;
 - (9) To incorporate an applicable 307(a) FWPCA toxic effluent standard or prohibition;
 - (10) When required by the reopener conditions in this permit;
 - (11) When required under 40 CFR 403.8(e) (compliance schedule for development of pretreatment program);
 - (12) Upon failure of the state to notify, as required by Section 402(b)(3) of the FWPCA, another state whose waters may be affected by a discharge permitted by this permit;
 - (13) When required to correct technical mistakes, such as errors in calculation, or mistaken interpretations of law made in determining permit conditions; or

When requested by the permittee and the Director determines that the modification has cause and will not result in a violation of federal or state law, regulations or rules; or

5. Permit Termination

This permit may be terminated during its term for cause, including but not limited to, the following:

- a. Violation of any term or condition of this permit;
- b. The permittee's misrepresentation or failure to disclose fully all relevant facts in the permit application or during the permit issuance process or the permittee's misrepresentation of any relevant facts at any time;
- Materially false or inaccurate statements or information in the permit application or the permit;
- A change in any condition that requires either a temporary or permanent reduction or elimination of the permitted discharge;
- e. The permittee's discharge threatens human life or welfare or the maintenance of water quality standards;
- f. Permanent closure of the facility generating the wastewater permitted to be discharged by this permit or permanent cessation of wastewater discharge;
- g. New or revised requirements of any applicable standard or limitation that is promulgated under Sections 301(b)(2)(C), (D), (E), and (F), and 307(a)(2) of the FWPCA that the Director determines cannot be complied with by the permittee.
- h. Any other cause allowed by the ADEM Administrative Code, Chapter 335-6-6.

Permit Suspension

This permit may be suspended during its term for noncompliance until the permittee has taken action(s) necessary to achieve compliance.

7. Request for Permit Action Does Not Stay Any Permit Requirement

The filing of a request by the permittee for modification, suspension or revocation of this permit, in whole or in part, does not stay any permit term or condition.

F. COMPLIANCE WITH TOXIC POLLUTANT STANDARD OR PROHIBITION

If any applicable effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition) is established under Section 307(a) of the FWPCA, 33 U.S.C. Section 1317(a), for a toxic pollutant discharged by the permittee and such standard or prohibition is more stringent than any discharge limitation on the pollutant specified in Provision I. A. of this permit, or controls a pollutant not limited in Provision I. A. of this permit, this permit shall be modified to conform to the toxic pollutant effluent standard or prohibition and the permittee shall be notified of such modification. If this permit has not been modified to conform to the toxic pollutant effluent standard or prohibition before the effective date of such standard or prohibition, the permittee shall attain compliance with the requirements of the standard or prohibition within the time period required by the standard or prohibition and shall continue to comply with the standard or prohibition until this permit is modified or reissued.

G. DISCHARGE OF WASTEWATER GENERATED BY OTHERS

The discharge of wastewater, generated by any process, facility, or by any other means not under the operational control of the permittee or not identified in the application for this permit or not identified specifically in the description of an outfall in this permit is not authorized by this permit.

PART III OTHER PERMIT CONDITIONS

A. CIVIL AND CRIMINAL LIABILITY

1. Tampering

Any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained or performed under the permit shall, upon conviction, be subject to penalties as provided by the AWPCA.

False Statements

Any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or noncompliance shall, upon conviction, be subject to penalties as provided by the AWPCA.

3. Permit Enforcement

- a. Any NPDES permit issued or reissued by the Department is a permit for the purpose of the AWPCA and the FWPCA and as such any terms, conditions, or limitations of the permit are enforceable under state and federal law.
- b. Any person required to have a NPDES permit pursuant to ADEM Administrative Code Chapter 335-6-6 and who discharges pollutants without said permit, who violates the conditions of said permit, who discharges pollutants in a manner not authorized by the permit, or who violates applicable orders of the Department or any applicable rule or standard of the Department, is subject to any one or combination of the following enforcement actions under applicable state statutes.
 - (1) An administrative order requiring abatement, compliance, mitigation, cessation, clean-up, and/or penalties:
 - (2) An action for damages;
 - (3) An action for injunctive relief; or
 - (4) An action for penalties.
- c. If the permittee is not in compliance with the conditions of an expiring or expired permit the Director may choose to do any or all of the following provided the permittee has made a timely and complete application for reissuance of the permit:
 - (1) initiate enforcement action based upon the permit which has been continued;
 - issue a notice of intent to deny the permit reissuance. If the permit is denied, the owner or operator would then be required to cease the activities authorized by the continued permit or be subject to enforcement action for operating without a permit;
 - (3) reissue the new permit with appropriate conditions; or
 - (4) take other actions authorized by these rules and AWPCA.

4. Relief from Liability

Except as provided in Provision II. C. 1. (Bypass) and Provision II. C. 2. (Upset), nothing in this permit shall be construed to relieve the permittee of civil or criminal liability under the AWPCA or FWPCA for noncompliance with any term or condition of this permit.

B. OIL AND HAZARDOUS SUBSTANCE LIABILITY

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject under Section 311 of the FWPCA, 33 U.S.C. Section 1321.

C. PROPERTY AND OTHER RIGHTS

This permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to persons or property or invasion of other private rights, trespass, or any infringement of federal, state, or local laws or regulations, nor does it authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any waters of the state or of the United States.

D. AVAILABILITY OF REPORTS

Except for data determined to be confidential under <u>Code of Alabama</u> 1975, Section 22-22-9(c), all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Department. Effluent data shall not be considered confidential.

E. EXPIRATION OF PERMITS FOR NEW OR INCREASED DISCHARGES

- 1. If this permit was issued for a new discharger or new source, this permit shall expire eighteen months after the issuance date if construction of the facility has not begun during the eighteen-month period.
- 2. If this permit was issued or modified to allow the discharge of increased quantities of pollutants to accommodate the modification of an existing facility and if construction of this modification has not begun during the eighteen month period after issuance of this permit or permit modification, this permit shall be modified to reduce the quantities of pollutants allowed to be discharged to those levels that would have been allowed if the modification of the facility had not been planned.
- 3. Construction has begun when the owner or operator has:
 - a. begun, or caused to begin as part of a continuous on-site construction program:
 - (1) any placement, assembly, or installation of facilities or equipment; or
 - (2) significant site preparation work including clearing, excavation, or removal of existing buildings, structures, or facilities which is necessary for the placement, assembly, or installation of new source facilities or equipment; or
 - b. entered into a binding contractual obligation for the purpose of placement, assembly, or installation of facilities or equipment which are intended to be used in its operation within a reasonable time. Options to purchase or contracts which can be terminated or modified without substantial loss, and contracts for feasibility, engineering, and design studies do not constitute a contractual obligation under the paragraph. The entering into a lease with the State of Alabama for exploration and production of hydrocarbons shall also be considered beginning construction.

F. COMPLIANCE WITH WATER QUALITY STANDARDS

- 1. On the basis of the permittee's application, plans, or other available information, the Department has determined that compliance with the terms and conditions of this permit should assure compliance with the applicable water quality standards.
- 2. Compliance with permit terms and conditions notwithstanding, if the permittee's discharge(s) from point sources identified in Provision I. A. of this permit cause or contribute to a condition in contravention of state water quality standards, the Department may require abatement action to be taken by the permittee in emergency situations or modify the permit pursuant to the Department's Rules, or both.
- 3. If the Department determines, on the basis of a notice provided pursuant to this permit or any investigation, inspection or sampling, that a modification of this permit is necessary to assure maintenance of water quality standards or compliance with other provisions of the AWPCA or FWPCA, the Department may require such modification and, in cases of emergency, the Director may prohibit the discharge until the permit has been modified.

G. GROUNDWATER

Unless specifically authorized by a permit issued by the Department, the discharge of pollutants to groundwater is prohibited. Should a threat of groundwater contamination occur, the Director may require groundwater monitoring to properly assess the degree of the problem and the Director may require that the permittee undertake measures to abate any such discharge and/or contamination.

H. DEFINITIONS

- 1. Average monthly discharge limitation means the highest allowable average of "daily discharges" over a calendar month, calculated as the sum of all "daily discharges" measured during a calendar month divided by the number of "daily discharges" measured during that month (zero discharge days shall not be included in the number of "daily discharges" measured and a less than detectable test result shall be treated as a concentration of zero if the most sensitive EPA approved method was used).
- 2. Average weekly discharge limitation means the highest allowable average of "daily discharges" over a calendar week, calculated as the sum of all "daily discharges" measured during a calendar week divided by the number of "daily discharges" measured during that week (zero discharge days shall not be included in the number of "daily discharges" measured and a less than detectable test result shall be treated as a concentration of zero if the most sensitive EPA approved method was used).
- 3. Arithmetic Mean means the summation of the individual values of any set of values divided by the number of individual values.

- AWPCA means the Alabama Water Pollution Control Act.
- 5. BOD means the five-day measure of the pollutant parameter biochemical oxygen demand.
- Bypass means the intentional diversion of waste streams from any portion of a treatment facility.
- CBOD means the five-day measure of the pollutant parameter carbonaceous biochemical oxygen demand.
- 8. Daily discharge means the discharge of a pollutant measured during any consecutive 24-hour period in accordance with the sample type and analytical methodology specified by the discharge permit.
- 9. Daily maximum means the highest value of any individual sample result obtained during a day.
- 10. Daily minimum means the lowest value of any individual sample result obtained during a day.
- 11. Day means any consecutive 24-hour period.
- 12. Department means the Alabama Department of Environmental Management.
- 13. Director means the Director of the Department.
- 14. Discharge means "[t]he addition, introduction, leaking, spilling or emitting of any sewage, industrial waste, pollutant or other waste into waters of the state". <u>Code of Alabama</u> 1975, Section 22-22-1(b)(9).
- 15. Discharge Monitoring Report (DMR) means the form approved by the Director to accomplish reporting requirements of an NPDES permit.
- DO means dissolved oxygen.
- 17. 8HC means 8-hour composite sample, including any of the following:
 - a. The mixing of at least 5 equal volume samples collected at constant time intervals of not more than 2 hours over a period of not less than 8 hours between the hours of 6:00 a.m. and 6:00 p.m. If the sampling period exceeds 8 hours, sampling may be conducted beyond the 6:00 a.m. to 6:00 p.m. period.
 - b. A sample continuously collected at a constant rate over period of not less than 8 hours between the hours of 6:00 a.m. and 6:00 p.m. If the sampling period exceeds 8 hours, sampling may be conducted beyond the 6:00 a.m. to 6:00 p.m. period.
- 18. EPA means the United States Environmental Protection Agency.
- 19. FC means the pollutant parameter fecal coliform.
- 20. Flow means the total volume of discharge in a 24-hour period.
- 21. FWPCA means the Federal Water Pollution Control Act.
- 22. Geometric Mean means the Nth root of the product of the individual values of any set of values where N is equal to the number of individual values. The geometric mean is equivalent to the antilog of the arithmetic mean of the logarithms of the individual values. For purposes of calculating the geometric mean, values of zero (0) shall be considered one (1).
- 23. Grab Sample means a single influent or effluent portion which is not a composite sample. The sample(s) shall be collected at the period(s) most representative of the discharge.
- 24. Indirect Discharger means a nondomestic discharger who discharges pollutants to a publicly owned treatment works or a privately owned treatment facility operated by another person.
- 25. Industrial User means those industries identified in the Standard Industrial Classification manual, Bureau of the Budget 1967, as amended and supplemented, under the category "Division D Manufacturing" and such other classes of significant waste producers as, by regulation, the Director deems appropriate.
- 26. MGD means million gallons per day.
- 27. Monthly Average means, other than for fecal coliform bacteria, the arithmetic mean of all the composite or grab samples taken for the daily discharges collected in one month period. The monthly average for fecal coliform bacteria is the geometric mean of daily discharge samples collected in a one month period. The monthly average for flow is the arithmetic mean of all flow measurements taken in a one month period.

- 28. New Discharger means a person, owning or operating any building, structure, facility or installation:
 - a. from which there is or may be a discharge of pollutants;
 - b. that did not commence the discharge of pollutants prior to August 13, 1979, and which is not a new source; and
 - c. which has never received a final effective NPDES permit for dischargers at that site.
- 29. NH3-N means the pollutant parameter ammonia, measured as nitrogen.
- 30. Permit application means forms and additional information that is required by ADEM Administrative Code Rule 335-6-6-.08 and applicable permit fees.
- Point source means "any discernible, confined and discrete conveyance, including but not limited to any pipe, channel, ditch, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, . . . from which pollutants are or may be discharged." Section 502(14) of the FWPCA, 33 U.S.C. Section 1362(14).
- Pollutant includes for purposes of this permit, but is not limited to, those pollutants specified in Code of Alabama 1975, Section 22-22-1(b)(3) and those effluent characteristics specified in Provision I. A. of this permit.
- Privately Owned Treatment Works means any devices or system which is used to treat wastes from any facility whose operator is not the operator of the treatment works, and which is not a "POTW".
- Publicly Owned Treatment Works means a wastewater collection and treatment facility owned by the State, municipality, regional entity composed of two or more municipalities, or another entity created by the State or local authority for the purpose of collecting and treating municipal wastewater.
- 35. Receiving Stream means the "waters" receiving a "discharge" from a "point source".
- 36. Severe property damage means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.
- 37. Significant Source means a source which discharges 0.025 MGD or more to a POTW or greater than five percent of the treatment work's capacity, or a source which is a primary industry as defined by the U.S. EPA or which discharges a priority or toxic pollutant.
- 38. TKN means the pollutant parameter Total Kjeldahl Nitrogen.
- 39. TON means the pollutant parameter Total Organic Nitrogen.
- 40. TRC means Total Residual Chlorine.
- 41. TSS means the pollutant parameter Total Suspended Solids.
- 42. 24HC means 24-hour composite sample, including any of the following:
 - a. the mixing of at least 12 equal volume samples collected at constant time intervals of not more than 2 hours over a period of 24 hours;
 - b. a sample collected over a consecutive 24-hour period using an automatic sampler composite to one sample. As a minimum, samples shall be collected hourly and each shall be no more than one twenty-fourth (1/24) of the total sample volume collected;
 - a sample collected over a consecutive 24-hour period using an automatic composite sampler composited proportional to flow.
- 43. Upset means an exceptional incident in which there is an unintentional and temporary noncompliance with technology-based permit discharge limitations because of factors beyond the reasonable control of the permittee. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.
- Waters means "[a]ll waters of any river, stream, watercourse, pond, lake, coastal, ground or surface water, wholly or partially within the state, natural or artificial. This does not include waters which are entirely confined and retained completely upon the property of a single individual, partnership or corporation unless such waters are used in interstate commerce." Code of Alabama 1975, Section 22-22-1(b)(2). Waters "include all navigable waters" as defined in Section 502(7) of the FWPCA, 22 U.S.C. Section 1362(7), which are within the State of Alabama.

- Week means the period beginning at twelve midnight Saturday and ending at twelve midnight the following Saturday.
- Weekly (7-day and calendar week) Average is the arithmetic mean of all samples collected during a consecutive 7-day period or calendar week, whichever is applicable. The calendar week is defined as beginning on Sunday and ending on Saturday. Weekly averages shall be calculated for all calendar weeks with Saturdays in the month. If a calendar week overlaps two months (i.e., the Sunday is in one month and the Saturday in the following month), the weekly average calculated for the calendar week shall be included in the data for the month that contains the Saturday.

I. SEVERABILITY

The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

PART IV ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS

A. BEST MANAGEMENT PRACTICES (BMP) PLAN REQUIREMENTS

1. BMP Plan

The permittee shall develop and implement a Best Management Practices (BMP) Plan which prevents, or minimizes the potential for, the release of pollutants from ancillary activities, including material storage areas; plant site runoff; in-plant transfer, process and material handling areas; loading and unloading operations, and sludge and waste disposal areas, to the waters of the State through plant site runoff; spillage or leaks; sludge or waste disposal; or drainage from raw material storage.

2. Plan Content

The permittee shall prepare and implement a best management practices (BMP) plan, which shall:

- a. Establish specific objectives for the control of pollutants:
 - (1) Each facility component or system shall be examined for its potential for causing a release of significant amounts of pollutants to waters of the State due to equipment failure, improper operation, natural phenomena such as rain or snowfall, etc.
 - (2) Where experience indicates a reasonable potential for equipment failure (e.g., a tank overflow or leakage), natural condition (e.g. precipitation), or circumstances to result in significant amounts of pollutants reaching surface waters, the plan should include a prediction of the direction, rate of flow, and total quantity of pollutants which could be discharged from the facility as a result of each condition or circumstance.
- b. Establish specific best management practices to meet the objectives identified under paragraph a. of this section, addressing each component or system capable of causing a release of significant amounts of pollutants to the waters of the State, and identifying specific preventative or remedial measures to be implemented;
- c. Establish a program to identify and repair leaking equipment items and damaged containment structures, which may contribute to contaminated storm water runoff. This program must include regular visual inspections of equipment, containment structures and of the facility in general to ensure that the BMP is continually implemented and effective.
- d. Prevent the spillage or loss of fluids, oil, grease, gasoline, etc. from vehicle and equipment maintenance activities and thereby prevent the contamination of storm water from these substances;
- e. Prevent or minimize storm water contact with material stored on site;
- f. Designate by position or name the person or persons responsible for the day to day implementation of the BMP;
- g. Provide for routine inspections, on days during which the facility is manned, of any structures that function to prevent storm water pollution or to remove pollutants from storm water and of the facility in general to ensure that the BMP is continually implemented and effective;
- h. Provide for the use and disposal of any material used to absorb spilled fluids that could contaminate storm water;
- Develop a solvent management plan, if solvents are used on site. The solvent management plan shall include as a
 minimum lists of the total organic compounds on site; the method of disposal used instead of dumping, such as
 reclamation, contract hauling; and the procedures for assuring that toxic organics do not routinely spill or leak into the
 storm water;
- j. Provide for the disposal of all used oils, hydraulic fluids, solvent degreasing material, etc. in accordance with good management practices and any applicable state or federal regulations;
- Include a diagram of the facility showing the locations where storm water exits the facility, the locations of any structures or other mechanisms intended to prevent pollution of storm water or to remove pollutants from storm water, the locations of any collection and handling systems;
- Provide control sufficient to prevent or control pollution of storm water by soil particles to the degree required to
 maintain compliance with the water quality standard for turbidity applicable to the waterbody(s) receiving discharge(s)
 under this permit;

- m. Provide spill prevention, control, and/or management sufficient to prevent or minimize contaminated storm water runoff. Any containment system used to implement this requirement shall be constructed of materials compatible with the substance(s) contained and shall prevent the contamination of groundwater. The containment system shall also be capable of retaining a volume equal to 110 percent of the capacity of the largest tank for which containment is provided;
- n. Provide and maintain curbing, diking or other means of isolating process areas to the extent necessary to allow segregation and collection for treatment of contaminated storm water from process areas;
- o. Be reviewed by plant engineering staff and the plant manager; and
- p. Bear the signature of the plant manager.

3. Compliance Schedule

The permittee shall have reviewed (and revised if necessary) and fully implemented the BMP plan as soon as practicable but no later than six months after the effective date of this permit.

4. Department Review

- a. When requested by the Director or his designee, the permittee shall make the BMP available for Department review.
- b. The Director or his designee may notify the permittee at any time that the BMP is deficient and require correction of the deficiency.
- c. The permittee shall correct any BMP deficiency identified by the Director or his designee within 30 days of receipt of notification and shall certify to the Department that the correction has been made and implemented.

5. Administrative Procedures

- a. A copy of the BMP shall be maintained at the facility and shall be available for inspection by representatives of the Department.
- b. A log of the routine inspection required above shall be maintained at the facility and shall be available for inspection by representatives of the Department. The log shall contain records of all inspections performed for the last three years and each entry shall be signed by the person performing the inspection.
- c. The permittee shall provide training for any personnel required to implement the BMP and shall retain documentation of such training at the facility. This documentation shall be available for inspection by representatives of the Department. Training shall be performed prior to the date that implementation of the BMP is required.
- d. BMP Plan Modification. The permittee shall amend the BMP plan whenever there is a change in the facility or change in operation of the facility which materially increases the potential for the ancillary activities to result in a discharge of significant amounts of pollutants.
- e. BMP Plan Review. The permittee shall complete a review and evaluation of the BMP plan at least once every three years from the date of preparation of the BMP plan. Documentation of the BMP Plan review and evaluation shall be signed and dated by the Plant Manager.

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT WATER DIVISION – INDUSTRIAL AND MUNICIPAL SECTIONS NONCOMPLIANCE NOTIFICATION FORM

ITTEE NAME:		PERMIT	NO:
ITY LOCATION:			
REPORTING PERIOD:			
DESCRIPTION OF DIS	SCHARGE: (Include outfall numb	er (s))	
DESCRIPTION OF NO	N-COMPLIANCE: (Attach addition	onal pages if necessary):	
	LIST EFFLUENT VIOL	_ATIONS (If applicable)	
Outfall Number (s)	NONCOMPLIANCE PARAMETER(S)	Result Reported (Include units)	Permit Limit (Include units)
LI			
Outfall Number (s)	PARAMETER(S)		/ Reporting Violation vide description)
CAUSE OF NON-COM	PLIANCE (Attach additional pag	es if necessary):	
PERIOD OF NONCOM noncompliance is expe	PLIANCE: (Include exact date(s) cted to continue):	and time(s) or, if not correc	cted, the anticipated time the
	EPS TAKEN AND/OR BEING TA PREVENT ITS RECURRENCE (
	ITY LOCATION: REPORTING PERIOD: DESCRIPTION OF DIS DESCRIPTION OF NO Outfall Number (s) LIS Outfall Number (s) CAUSE OF NON-COM PERIOD OF NONCOM noncompliance is expect	TY LOCATION: REPORTING PERIOD: DESCRIPTION OF DISCHARGE: (Include outfall numb DESCRIPTION OF NON-COMPLIANCE: (Attach addition LIST EFFLUENT VIOLATION NONCOMPLIANCE PARAMETER(S) LIST MONITORING / REPORT NONCOMPLIANCE PARAMETER(S) CAUSE OF NON-COMPLIANCE (Attach additional page) PERIOD OF NONCOMPLIANCE: (Include exact date(s) noncompliance is expected to continue):	DESCRIPTION OF DISCHARGE: (Include outfall number (s)) DESCRIPTION OF NON-COMPLIANCE: (Attach additional pages if necessary): LIST EFFLUENT VIOLATIONS (If applicable) NONCOMPLIANCE PARAMETER(S) Result Reported (Include units) LIST MONITORING / REPORTING VIOLATIONS (If applicable) NONCOMPLIANCE PARAMETER(S) Outfall Number (s) NONCOMPLIANCE PARAMETER(S) NONCOMPLIANCE PARAMETER(S) CAUSE OF NON-COMPLIANCE (Attach additional pages if necessary): PERIOD OF NONCOMPLIANCE: (Include exact date(s) and time(s) or, if not correct

the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for

submitting false information, including the possibility of fine and imprisonment for knowing violations."

ADEM REVISED PERMIT RATIONALE

DATE: May 9, 2011

REVISION DATE: June 29, 2011 **PREPARED BY:** Brian Marshall

FACILITY NAME: ALDOT CBP SW Area

LOCATION: 588 Concrete Drive

Montgomery, AL

PERMIT NUMBER: AL0081167

PERMIT IS INITIAL ISSUANCE

DISCHARGE SERIAL NUMBERS & DESCRIPTIONS:

DSN001-1— Wastewater associated with groundwater cleanup operations.

The groundwater remediation facilities for the ALDOT CBP SW Area will discharge approximately 1.0 MGD to an Unnamed Tributary (UT) to Alabama River through DSN001-1. At the discharge point, the UT to Alabama River is classified as fish & wildlife with a $7Q_{10}$ of 0.0 cfs, a $1Q_{10}$ of 0.0 cfs, and an average annual flow of 0.0 cfs. Consideration of available data indicates this section of Shades Creek is considered a Tier II waterbody as defined by ADEM Administrative Rule 335-6-10-.12 and is not listed on the 2008 Alabama 303(d) list as being impaired nor have any TMDLs been developed.

The ALDOT CBP SW Area is considered a NPDES minor facility.

DISCUSSION:

This site originally was operated by North Montgomery Materials Mining as a sand and gravel pit. ALDOT is reclaiming the site, terminating the mining permit (AL0071790) and the associated Alabama Department of Industrial Relations (ADIR) bond. The site will now be used to intercept and treat groundwater in the southeastern part of the Coliseum Boulevard plume.

The groundwater will be pumped through a series of ponds and subsequently discharged. The facility does not expect TCE to be present in the discharge.

ADEM Administrative Rule 335-6-10-.12 requires applicants with new or expanded discharges to Tier II waters demonstrate that the proposed discharge is necessary for important economic or social development in the area in which the waters are located. The application submitted by the facility is for a new or expanded discharge; therefore, the permittee has submitted the supporting documentation (including an alternative analysis) demonstrating that the proposed discharge to a UT to the Alabama River is necessary for important social and economic reasons. The anti-degradation rationale is attached.

The proposed draft permit contains the following limitations and monitoring requirements:

<u>Parameter</u>	<u>Units</u>	Daily Min	Daily Max	Monthly Avg.
Flow	MGD		Monitor	
pН	s.u.	6.0	8.5	
Trichloroethylene	ug/1		37.94	17.47

Flow

Flow monitoring is proposed to be calculated once per two weeks.

Acidity/Alkalinity (pH)

According to ADEM Administrative Code 335-6-10-.09(7)(c)(2) and 335-6-10-.09(5)(e)(2), sewage, industrial wastes or other wastes discharged to streams classified as Fish & Wildlife shall not cause the pH to be less than 6.0 nor greater than 8.5 standard units (s.u.). Therefore, pH monitoring is proposed at once per two weeks for this outfall and shall not deviate from a range of 6.0 to 8.5 s.u.

Trichloroethylene

The contaminant of concern in this groundwater remediation project is Trichloroethylene (TCE). In order to measure if any stage of the TCE breakdown process is present in the effluent from this facility, monitoring at once per two weeks will be required with limitations based upon the ADEM Human Health Consumption – Fish Only requirement of 17.47 ug/l. This standard will be applied as a monthly average limitation. Based on BPJ and in order to be consistent with other permits of this nature, the daily maximum limitation shall be determined by multiplying the monthly average by 2.0.

The DMR submittal requirement shall be quarterly (see Part I.C.b of the permit).

It should be noted that the facility predicts (see EPA Form 2D) that there will be no detectable TCE or any other pollutant of concern in this discharge. Part 1.D.6.a of the draft permit states the following:

"If this permit was issued based on estimates of the characteristics of a process discharge reported on an EPA NPDES Application Form 2D (EPA Form 3510-2D), the permittee shall complete and submit an EPA NPDES Application Form 2C (EPA Form 3510-2C) no later than two years after the date that discharge begins. Sampling required for completion of the Form 2C shall occur when a discharge(s) from the process(s) causing the new or increased discharge is occurring."

As a result, the Department may require that the permit be re-opened if the information reported in EPA Form 2C suggests that there are additional parameters of concern.

The permit is based on best professional judgment and is consistent with permits of similar operations. It is believed that the above limitations are protective of the receiving stream.

June 29, 2011 Revision

The facility has submitted revised application forms which designate the Alabama River (via storm sewer) as the receiving stream. At the revised discharge point, the Alabama River is classified as fish & wildlife with a $7Q_{10}$ of 4296 cfs and a $1Q_{10}$ of 3222 cfs. Consideration of available data indicates this section of the Alabama River is considered a Tier II waterbody as defined by ADEM Administrative Rule 335-6-10-.12 and is not listed on the 2010 Alabama 303(d) list as being impaired nor have any TMDLs been developed.

As a result, pH monitoring requirements are being changed to "REPORT" only because of the available dilution in the receiving stream. Based on BPJ, TCE requirements will remain the same in order to measure if any stage of the TCE breakdown process is present in the effluent from this facility. The facility does not expect detectable amounts of TCE in the discharge (per the submitted application).

It should also be noted that the Department has determined that Part 1.D.6.a of the permit does not apply to this facility because the application was based on actual data and not estimates.

ANTIDEGRADATION RATIONALE

Permit Number:

AL0081167

Facility Name:

ALDOT CBP SW Area

Receiving Waters:

Unnamed Tributary to the Alabama River

Stream Category:

Tier 2 as defined by ADEM Admin. Code 335-6-10-.12

Discharge Description:

Remediated Groundwater

The following preliminary determination was prepared in accordance with ADEM Admin. Code 335-6-10-.12 (7) (c):

The Department has reviewed the information submitted by applicant in accordance with ADEM Admin. Code 335-6-10-.12 (9). The applicant has demonstrated that there are no technical or economical viable options in their alternatives analysis that would completely eliminate a direct discharge.

The permit applicant has indicated that the following economic and/or social benefits will result from this project:

- ALDOT states that the implementation of the land application system is not viable because of inadequate land area.
- ALDOT is not allowed to discharge to the POTW due to excess flows.
- ALDOT states that the reuse/recycle is not applicable.
- ALDOT estimates that it regenerates \$1,820 in tax revenue to the county and city.
- ALDOT also employs 2 part time employees at an average of twenty hours per week.

The Department has determined that the discharge as proposed by the permit applicant is necessary for important economic and social development in the area in which the receiving water is located.

Reviewed By:

Eric Sanderson

Date:

5/23/2011

ALABAMA DEPARTMENT OF TRANSPORTATION



Robert Bentley Governor

1409 Coliseum Boulevard, Montgomery, Alabama 36110



John R. Cooper Transportation Director

June 23, 2011

Mr. Eric Sanderson Alabama Department of Environmental Management 1400 Coliseum Boulevard Montgomery, AL 36110-2059

RE: Revised permit application pages

NPDES Permit AL0081167

ALDOT Coliseum Boulevard Plume-Southwest Area

Dear Mr. Sanderson:

As discussed between Ashley Cousins (ALDOT consultant) and Brian Marshall of your staff, enclosed are revised pages of our NPDES permit application Form 2D that reflects that the final discharge from Southwest Treatment Area for the Coliseum Boulevard Plume is into a concrete lined ditch/storm sewer system that drains to the Alabama River. The revised maps show the location of the new treatment pond that we have constructed and the location where the final discharge leaves ALDOT property (DSN001).

We began planting vegetation in the new discharge pond today and would like to begin using the pond as quickly as possible to protect the aquatic vegetation. As previously requested, please place the draft permit on special (individual) Public Notice as quickly as possible to avoid waiting on the routine monthly notice. Should you have any questions or wish to discuss the enclosed information, please call Ashley Cousins at 334-467-0766 or me at 334-206-2201.

Sincerely,

B.E. Cox, Jr., P.E.

Materials and Testing Engineer

Attachments

Marshall, Brian C

From: Ashley Cousins [acousins@acessllc.com]

Sent: Monday, June 27, 2011 1:03 PM

To: Marshall, Brian C
Subject: Please review attached

Attachments: Draft NPDES Revised Pages.pdf

Brian-

As discussed last week, attached are the revised pages for ALDOT's NPDES permit for the SW Area of the CBP. These pages reflect that the outfall will be moved to the City of Montgomery Floodgate in New Town, which is where the water leaves the ALDOT property. As I told you on Friday, there may be some very limited areas where part of the wetland on ALDOT's property has encroached across the western property line (less than 0.1 acre). It may actually all be on ALDOT's property now since water levels are down and we have been managing the beavers, but when water levels are higher, there may be a few small areas where it crosses the property line. As I understood you on Friday, you didn't think that would make a difference if the main body of water was all on ALDOT's property, but I did want to bring that to your attention. Please let me know if you have questions or need additional information.


Thanks


Ashley

Policion .			_	EPA I	D. NUMBER	(copy from l	tem 1 of Fon	m 1)	
	SEP		areas only	Applia					Dischargers Je Process Wastewater
NPDES	ation			• •					
		litude a	and longitud	le of its loca	tion to the r	nearest 15 s	econds an	d the name	of the receiving water.
Outfall Nur (list)			Latitude Min.	Sec.	Deg.	Longitude Min.	Sec.		Water (name)
001		.00	23.00	52.00	86.00	17.00	44.00	Alabama 1	River via concrete storm ditch
II. Discharge	Date (When	da vai	l expect to t	pegin discha	raina?)				
District ge	Date (VVIICI)	do you	a expect to t	begin discin	nging ()	Disch	arge	to beg	gin date permit is issue
II. Flows, So									
wastewa	outfall, prov ter, cooling v ter. Continue	vater, a	and storm v	vater runoff;	(2) The av	contributing erage flow	g wastewa contributed	ter to the e I by each o	effluent, including process wastewater, sanitar peration; and (3) The treatment received by th
Outfall Number	1. O	peratio	ons Contribu	iting Flow			verage Flo		3. Treatment (Description or List codes from Table 2D-
001	Groundw	Groundwater/Stormwater			~1.0	~1,000,000 gpd*			1-F, 1-U, 4-A
							1 <u>F</u> -		
							····		

				······································					
							· · · · · · · · · · · · · · · · · · ·		
	ļ								

CONTINUED FROM THE FRONT	EPA I.D. NUMBER (copy from Item 1 of Form 1)	
	lutants listed in Table 2D-3 of the instructions whi ant you list, briefly describe the reasons you believe	
1. Pollutant	2. Reason for Discharge	
•	Groundwater containing dissolved TALDOT CBP is intercepted at an ina (formally "North Montgomery Materithrough a series of ponds and subswater (DSN-001) to the Alabama Riv No TCE is expected to be present in	active sand and gravel pit lals"). The groundwater is pumped sequently discharged as surface ver via a concrete storm ditch.
VI. Engineering Report on Wastewater Treatm	ent	
A. If there is any technical evaluation concer appropriate box below. Report Available	ming your wastewater treatment, including engine D No Report	ering reports or pllot plant studles, check the
	ing plant(s) which, to the best of your knowledge in	esembles this production facility with respect to
production processes, wastewater constitue		The second of the production reasons, with respect to
Name None	Location	







ALABAMA DEPARTMENT OF TRANSPORTATION



Bureau of Materials & Tests – Geotechnical Section 3700 Fairground Road, Montgomery, Alabama 36110 Phone: 334-206-2271 FAX: 334-264-6263

Bob Riley Governor Joe McInnes Transportation Director

January 11, 2011

Mr. Brian Marshall Alabama Department of Environmental Management 1400 Coliseum Boulevard Montgomery, AL 36110-2059

RE:

NPDES Permit Application

ALDOT Coliseum Boulevard Plume-Southwest Area

Dear Mr. Marshall:

Please find enclosed an NPDES permit application for the ALDOT Coliseum Boulevard Plume Southwest Area. As we have discussed, ALDOT purchased the former North Montgomery Materials mining site in April 2009. The former mining site will be used to intercept and treat groundwater in the southwestern part of the Coliseum Boulevard Plume. We are continuing to pump, monitor and discharge under the existing NPDES mining permit AL0071790, while we are reclaiming the site. The reclamation efforts and construction of our new discharge pond should be complete later this spring. We understand that ADEM will issue a new permit for discharge from the groundwater reclamation system, as described in the attached permit application. We will apply for termination of the existing mining permit when the reclamation is accepted by the Department of Industrial Relations and new NPDES permit is issued by ADEM.

Should you have any questions, please call Ashley Cousins at 334-271-0400 or me at 334-206-2201.

Sincerely,

Chief, Material and Tests Bureau

JAN 18 20th

ADEM

Attachment(s)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT APPLICATION SUPPLEMENTARY INFORMATION

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT WATER DIVISION - INDUSTRIAL / MINING PERMIT SECTION POST OFFICE BOX 301463
MONTGOMERY ALABAMA 36130-1463

INSTRUCTIONS: APPLICATIONS SHOULD BE TYPED OR PRINTED IN INK AND SUBMITTED TO THE DEPARTMENT IN DUPLICATE. IF INSUFFICIENT SPACE IS AVAILABLE TO ADDRESS ANY ITEM, PLEASE CONTINUE ON AN ATTACHED SHEET OF PAPER. PLEASE MARK N/A IN THE APPROPRIATE BOX WHEN AN ITEM IS NON-APPLICABLE TO THE APPLICANT.

	NON-ATTERIOR TO THE ATTERIOR TO
	PURPOSE OF THIS APPLICATION
	INITIAL PERMIT APPLICATION FOR NEW FACILITY X INITIAL PERMIT APPLICATION FOR EXISTING FACILITY
	MODIFICATION OF EXISTING PERMIT REISSUANCE OF EXISTING PERMIT
	REVOCATION & REISSUANCE OF EXISTING PERMIT
1	Facility Name ALDOT CBP SW Area
	a Operator Name ALDOT
	b Is the operator identified in 1 a , the owner of the facility? Yes X No No No responsibility for the facility
2	NPDES Permit Number AL <u>0</u> <u>0</u> <u>7</u> <u>1</u> <u>7</u> <u>9</u> <u>0*</u>
3	SID Permit Number (if applicable) (U
4	NPDES General Permit Number (if applicable) ALG
5	Facility Physical Location: (Attach a map with location marked, street, route no, or other specific identifier)
	Street 1588 Concrete Drive
	City Montgomery County Montgomery State AL Zip 36110
	Facility (Front Gate) Latitude 32.396993 Longitude 86.293081
6	Facility Mailing Address (Street or Post Office Box) 3700 Fairgrounds Road
	City Montgomery State AL Zip 36110

*The existing NPDES permit was for the former North Montgomery Materials Mining Operation. ALDOT is currently reclaiming the site to terminate the permit and the bond. This application is for a new permit at an existing site.

7	Responsible Official (as described on page 13 of this app	dication)							
	Name and Title Don W. Vaughan - Chief	Engine	er						
	Address 1409 Coliseum Boulevard								
	Cnty Montgomery	State _	AL	Zip.	36110				
	242 6210								
	EMAIL Address austinl@dot.state.al.us								
8	Designated Facility Contact								
	Name and Title B.E. Cox, Jr. / Bureau	Chief	; Materials	x Tes	sts Bureau				
	Phone Number 206-2270								
	EMAIL Address coxb@dot.state.al.us				··············				
9	Designated Discharge Monitoring Report Contact			-					
	Name and Title B.E. Cox, Jr. / Bureau Chief; Materials & Tests Bureau								
Phone Number 206-2270									
	EMAIL Address coxb@dot.state.al.us								
10	Type of Business Entity								
	Corporation General Partnership Lim	ited Partn	ership						
	Sole Proprietorship X Other (Please Specify)	Alaba	uma Dept. of	Tran	sportation				
1 1	Complete this section if the Applicant's business entity is	a Corpora	tion						
	a) Location of Incorporation								
	Address								
	City County			Z	?ip				
	b) Parent Corporation of Applicant								
	Name	·····							
	Address								
	City State			Zin					

ADEM Form 187 01/10 m3

Name			
Address			
City	State	Zip:	
d) Corporate Officers			
Name			
Address			
City	State	Zip	
Name			
	State		
	e corporation for purposes of service		
e) Agent designated by the NameAddress			
e) Agent designated by the NameAddress	e corporation for purposes of service	Zip.	
e) Agent designated by the Name	e corporation for purposes of service State entity is a Partnership, please list the general	Zip Zip	
e) Agent designated by the Name	e corporation for purposes of service State	Zip Zip	
e) Agent designated by the Name	e corporation for purposes of service State entity is a Partnership, please list the genera	Zip	
e) Agent designated by the Name	e corporation for purposes of service State entity is a Partnership, please list the genera	zip Zip	
e) Agent designated by the Name	e corporation for purposes of service State entity is a Partnership, please list the general	partners Zip	

13	If the Applicant's business entity is a Proprietorship please enter the proprietor's information							
	Name							
	Address							
	City	State		Z _I p	_			
14				n of any other State of Alabama ubsidiary corporations within the				
West	Permit Name	Permi	t Number	Held By				
15		omplaints Notices of V	its parent corporation or se	nistrative Orders, or Litigation absidiary corporations within the Date of Action				
SE	CTION B - BUSINESS ACTIVI	TY			-			
1	Indicate applicable Standard Inc. (If more than one applies. a. 562910		Codes for all processes					
	b							
	d	MANAGEM GARAGE						

ADEM Form 187 01/10 m3

2 If your facility conducts or will be conducting any of the processes listed below (regardless of whether they generate wastewater waste sludge or hazardous waste), place a check beside the category of business activity (check all that apply)

Industrial Categories

1	1 AI	uminum Forming	1	Metal Molding and Casting
í	•	spestos Manufacturing	Ì) Metal Products
i	•	attery Manufacturing	Ì	Nonferrous Metals Forming
i		an Making	i	Nonferrous Metals Manufacturing
i	,	anned and Preserved Fruit and Vegetables	į	Oil and Gas Extraction
1		anned and Preserved Seafood	Í	Organic Chemicals Manufacturing
ì	,	ement Manufacturing	í	Paint and Ink Formulating
í	•	entralized Waste Treatment	í	Paving and Roofing Manufacturing
i	,	arbon Black	í	Pesticides Manufacturing
ſ	i Co	oal Mining	Ì	Petroleum Refining
ì	•	oil Coating	i	Phosphate Manufacturing
Ī	•	opper Forming	İ	Photographic
ſ		lectric and Electronic Components Manufacturing	Ì	Pharmaceutical
ĺ	•	lectroplating	Ì	Plastic & Synthetic Materials
ì		xplosives Manufacturing	i	Plastics Processing Manufacturing
i		eedlots	i	Porcelain Enamel
i	i Fe	erroalloy Manufacturing	i	Pulp, Paper, and Fiberboard Manufacturing
Ī		ertilizer Manufacturing	i	Rubber
ſ		oundries (Metal Molding and Casting)	ĺ	Soap and Detergent Manufacturing
ì	•	lass Manufacturing	ĺ	Steam and Electric
ſ		rain Mills	í	Sugar Processing
i	G	um and Wood Chemicals Manufacturing	i	Textile Mills
į		organic Chemicals	i	1 Timber Products
i	•	on and Steel	i	Transportation Equipment Cleaning
i	,	eather Tanning and Finishing	Ì	
i		etal Finishing	ίx	Waste Combustion Other (specify) Groundwater Remediation
ì	•	leat Products	-	

A facility with processes inclusive in these business areas may be covered by Environmental Protection (EPA) categorical standards. These facilities are termed "categorical users" and should skip to question 2 of Section C.

3	Give a brief description of all operations at this facility including primary products or services (attach additional sheets if necessary)
	Inactive sand and gravel pits at a reclaimed mining operation site
	are being utilized to intercept and treat dissolved TCE in
	groundwater for the Coliseum Boulevard Plume.

ADEM Form 187 01/10 m3 Page 5 of 14

SECTION C - WASTEWATER DISCHARGE INFORMATION

Facilities that checked activities in question 2 of Section B and are considered Categorical Industrial Users should skip to question 2 of this section

For Non-Categorical Users Only Provide wastewater flows for each of the processes or proposed processes. Using the process flow schematic (Figure 1, pg 14), enter the description that corresponds to each process. [New

facilities should provide estimates for each discharge] Last 12 Months Highest Flow Year of Last 5 Discharge Type (gals/day) (gals/day) (batch, continuous, Process Description Highest Month Avg Flow Monthly Avg Flow intermittent) groundwater intercept / 1,400,000 est. 1,000,000 est. intermittent removal If batch discharge occurs or will occur, indicate. [New facilities may estimate.] a Number of batch discharges ______per day b Average discharge per batch — Time of batch discharges ___ (days of week) (hours of day) gallons/minute e Percent of total discharge_____ Last 12 Months Highest Flow Year of Last 5 Non-Process Discharges (e.g. non-contact cooling water) (gals/day) (gals/day) Highest Month Avg. Flow Monthly Avg. Flow

2 Complete this Section only if you are subject to Categorical Standards and plan to directly discharge the associated wastewater to a water of the State. If Categorical wastewater is discharged exclusively via an indirect discharge to a public or privately-owned treatment works, check "Yes" in the appropriate space below and proceed directly to part 2.c

[]Yes

For Categorical Users Provide the wastewater discharge flows or production (whichever is applicable by the effluent guidelines) for each of your processes or proposed processes. Using the process flow schematic (Figure 1, pg 14), enter the description that corresponds to each process. [New facilities should provide estimates for each discharge.]

•

	Regulated Process	Applicable Category	Applicable Subpart		e of Discharge Flow continuous, intermittent)
				<u></u>	
	Process Description	Last 12 Months (gals/day) Highest Month Average*	Highest Flow Year o (gals/day) Monthly Averag		Discharge Type (batch, continuous, intermittent)
		d be expressed in units of D), production (pounds pe		i producti	on-based standard.
ba a	-	will occur indicate [New fa	•		
		-	•		
b	•	er batch			
С	Time of batch dischai	ges(days of week)	at(hours of da	ay)	
đ	Flow rate	gallo	ns/minute		
rce	nt of total discharge				
	Non categorical Process Description	Last 12 Months (gals/day) Highest Month Avg Flow	Highest Flow Year of (gals/day) Monthly Avg Flo		Discharge Type (batch, continuous intermittent)
			\(\frac{1}{2}\)		
bat	tch discharge occurs or	will occur indicate [New fa	icililies may estimate]		
а	Number of batch disc	narges	_per day		
	Average discharge pe	r batch	(GPD)		
b	resolution and a pro-				
		ges(days of week)	_at(hours of da	y)	-

	Non-Process Discharges (e.g. non-contact cooling water)	Last 12 Months (gais/day) Highest Month Avg. Flow	Highest Flow Year of Last 5 (gals/day) Monthly Avg Flow
3 D	Applicants must complete Questions to you have, or plan to have automatic to		us wastewater flow metering equipment at
tħ	Flow Metering Sampling Equipment	Yes No X Yes No X	N/A
lf e	so, please indicate the present or future quipment below	elocation of this equipment on the	ne sewer schematic and describe the
_			
4 A ct	re any process changes or expansions pharacteristics? YesX	planned during the next three ye No (If no s	ars that could alter wastewater volumes or kip Question 5)
	riefly describe these changes and their a		
			ge groundwater elevations
-	The pumping volumes will levels but water quality	vary and may incre will be consistent	ease based on groundwater at the discharge.
5 Li	ist the trade name and chemical compos	sition of all biocides and corrosio	n inhibitors used
	Trade Name		Chemical Composition
Fo	or each biocide and/or corrosion inhibitor u	sed please include the following	oformation
	(1) 96-hour media		ns representative of the biota of the
	(2) quantities to b (3) frequencies of	e used	•
	(4) proposed disc	harge concentrations, and on number of applicable	

	TION D - WATER SUPPLY
	er Sources (check as many as are applicable)
] Private Well [] Surface Water
l	Municipal Water Utility (Specify City) [X] Other (Specify) Groundwater
1	F MORE THAN ONE WELL OR SURFACE INTAKE, PROVIDE DATA FOR EACH ON AN ATTACHMENT
(City *MGD Well *MGD Well Depth Ft Latitude Longitude
5	Surface Intake VolumeFt.
h	ntake Elevation Ft Latitude Longitude
N	Name of Surface Water Source
•	MGD - Million Gallons per Day
C	Cooling Water Intake Structure Information
C W	Complete questions 1 and 2 if your water supply is provided by an outside source and not by an onsite vater intake structure? (e.g., another industry, municipality, etc)
1	Does the provider of your source water operate a surface water intake? Yes [**] No [***] (If yes continue, if no, go to Section E.)
	a) Name of Providerb)Location of Provider
	c) Latitude Longitude
2	Is the provider a public water system (defined as a system which provides water to the public for human consumption or which provides only <u>treated</u> water not raw water)? Yes [No [] (If yes, go to Section E. if no, continue.)
O a	only to be completed if you have a cooling water intake structure or the provider of your water supply uses in intake structure and does not treat the raw water.
3	Is any water withdrawn from the source water used for cooling? Yes [] No []
4	Using the average monthly measurements over any 12-month period, approximately what percentage of water withdrawn is used exclusively for cooling purposes?
5	Does the cooling water consist of treated effluent that would otherwise be discharged? Yes [$-$] No [$-$] (If yes go to Section E, if no, complete questions $6-17$)
6	Is the cooling water used in a once-through or closed cycle cooling system? Yes [No []
7	When was the intake installed? (Please provide dates for all major construction/installation of intake components including screens)
8	What is the maximum intake volume? (maximum pumping capacity in gallons per day)
9	What is the average intake volume? (average intake pump rate in gallons per day average in any 30-day period)

ADEM Form 187 01/10 m3 Page 9 of 14

10	How in the inteks appropriat? (a.e. conti	nuously intermittently, bat	tch)
	now is the intake operated? (e.g., conti		,
11	What is the mesh size of the screen on	your intake?	
12	What is the intake screen flow-through a	area?	
13	What is the through screen design intak	te flow velocity?ft/s	sec
14	What is the mechanism for cleaning the	screen? (e.g. does it rota	ate for cleaning)
15	Do you have any additional fish detraction	on technology on your inta	ake? Yes [] No []
16	Have there been any studies to determine yes please provide.)	ne the impact of the intake	e on aquatic organisms? Yes [] No [] (If
17	Attach a site map showing the location of	of the water intake in relati	ion to the facility, shoreline, water depth, etc
_			
Provide dischar wastew	ged to a water of the state, either direc	s involved in the storage offy or indirectly via such at the facility for which the	of solids or liquids that could be accident, avenues as storm water drainage, municite NPDES application is being made. Wholication
Provide dischar wastew	e a description of the location of all sites ged to a water of the state, either direct later systems, etc., which are located a	s involved in the storage of the condition of indirectly via such at the facility for which the and included with this app	avenues as storm water drainage, munici- le NPDES application is being made. Whi
Provide dischar wastew	e a description of the location of all sites ged to a water of the state, either direct ater systems, etc., which are located a e, the location should be noted on a map	s involved in the storage of the condition of indirectly via such at the facility for which the and included with this app	avenues as storm water drainage, munici le NPDES application is being made. Whi ofication
Provided dischar wastew possible	e a description of the location of all sites ged to a water of the state, either direct ater systems, etc., which are located a e, the location should be noted on a map Description of Waste	s involved in the storage ofly or indirectly via such at the facility for which the and included with this app	avenues as storm water drainage, munici le NPDES application is being made. Whi ofication
Provide dischar wastew possibli	e a description of the location of all sites ged to a water of the state, either direct ater systems, etc., which are located as the location should be noted on a map. Description of Waste	s involved in the storage ofly or indirectly via such at the facility for which the and included with this app	avenues as storm water drainage, municile NPDES application is being made. Wholication escription of Storage Location
Provide dischar wastew possibli	e a description of the location of all sites ged to a water of the state, either direct ater systems, etc., which are located as the location should be noted on a map. Description of Waste. a description of the location of the ultim y wastewater treatment system located as	s involved in the storage offy or indirectly via such at the facility for which the and included with this appoint. Display the disposal sites of solid at the facility	avenues as storm water drainage, municiple NPDES application is being made. Who blication description of Storage Location description of Storage Location or liquid waste by-products (such as sludge)
Provide dischar wastew possibli	e a description of the location of all sites ged to a water of the state, either direct ater systems, etc., which are located as the location should be noted on a map. Description of Waste. a description of the location of the ultim y wastewater treatment system located as	s involved in the storage offy or indirectly via such at the facility for which the and included with this appoint. Display the disposal sites of solid at the facility	avenues as storm water drainage, municiple NPDES application is being made. Who blication description of Storage Location description of Storage Location or liquid waste by-products (such as sludge)

ADEM Form 187 01/10 m3 Page 10 of 14

SECTI	ON F - COASTAL ZONE INFORMATION		
is	the discharge(s) located within 10-foot elevation of Mobile or Baldwin County?		
Ye	s [□□□] No [□□□] If yes, then complete items A through M below	YES	NO
Α	Does the project require new construction?	PT1-13-1	g4 - 4 - 4 pt s 1
В	Will the project be a source of new air emissions?		per service
С	Does the project involve dredging and/or filling?		
	Has the Corps of Engineers (COE) permit been received?		
	Corps Project Number		
D	Does the project involve wetlands and/or submersed grassbeds?		
E	Are oyster reefs located near the project site?		
-	(Include a map showing project and discharge location with respect to oyster reefs)		
_			
F	Does the project involve the siting, construction and operation of an energy facility as defined in ADEM Admin, Code R, 335-8-1- 02(bb)?		
G	Does the project involve shoreline erosion mitigation?	**** ********************************	<u></u>
Н	Does the project involve construction on beaches and dunes?	,	
ļ	Will the project interfere with public access to coastal waters?		j
J	Does the project lie within the 100-year floodplain?		
K	Does the project involve the registration, sale, use, or application of pesticides?		
L	Does the project propose to construct a new well or alter an existing well to pump more	****	 -
	than 50 GPD?		
М	Has the applicable permit been obtained?		<u>:</u>
ECTIO	DN G - ANTI-DEGRADATION EVALUATION		
	•		
acco	rdance with 40 CFR 131 12 and the Alabama Department of Environmental Managemen	nt Adminis	trative Co
SDON	335-6-10-04 for antidegradation, the following information must be provided, if applicate sibility to demonstrate the social and economic importance of the proposed activity.	ole. It is th	ne applicar
juire	to make this demonstration, attach additional sheets to the application	r turtner i	ntormation
is th	is a new or increased discharge that began after April 3 1991? Yes [广文] No [
it ye	s complete question 2 below If no go to Section H	•	
Has incre	an Anti-Degradation Analysis been previously conducted and submitted to the Departmen ased discharge referenced in question 1? Yes [] No [i	t for the n	ew or
		~ J	
T VE	s do not complete this section		

If no land the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-10- 12(4), complete questions A through F below and ADEM forms 311 and 313 (attached). Form 313 must be provided for each atternative considered technically viable.

Information required for new or increased discharges to high quality waters

- A. What environmental or public health problem will the discharger be correcting? intercept and treatment of contaminated groundwater (CBP)
- B How much will the discharger be increasing employment (at its existing facility or as the result of locating a new facility)? ALDOT has retained a consultant to maintain the treatment system. It is anticipated that the project will require two persons up to 20 hours per week.
- C. How much reduction in employment will the discharger be avoiding?

None

- D How much additional state or local taxes will the discharger be paying?

 It is expected that State and local taxes will amount to ~ \$1,820 / year.
- E What public service to the community will the discharger be providing?
 - Intercept and treat contaminated groundwater
- F What economic or social benefit will the discharger be providing to the community? environmental quality

SECTION H - EPA Application Forms

All Applicants must submit EPA permit application forms. More than one application form may be required from a facility depending on the number and types of discharges or outfalls found there. The EPA application forms are found on the Department's website at http://www.adem.state.al.us/ The EPA application forms must be submitted in duplicate as follows:

- 1 All applicants must submit Form 1
- 2 Applicants for existing industrial facilities (including manufacturing facilities, commercial facilities, mining activities, and silvicultural activities) which discharge process wastewater must submit Form 2C.
- 3 Applicants for new industrial facilities which propose to discharge process wastewater must submit Form 2D
- 4 Applicants for new and existing industrial facilities which discharge only non-process wastewater (i.e., non-contact cooling water and/or sanitary wastewater) must submit Form 2E
- Applicants for new and existing facilities whose discharge is composed entirely of storm water associated with industrial activity must submit Form 2F, unless exempted by § 122.26(c)(1)(ii). If the discharge is composed of storm water and non-storm water, the applicant must also submit Forms 2C, 2D, and/or 2E, as appropriate (in addition to Form 2F).

SECTION I – ENGINEERING REPORT/BMP PLAN REQUIREMENTS See ADEM 335-6-6-08(i) & (j)

SECTION J- RECEIVING WATERS

UT Alabama River N N		(Y / N)	(Y / N)
	UT Alabama River	N	N
	· · · · · · · · · · · · · · · · · · ·	The same is the same of the sa	

^{*}If a TMDL Compliance Schedule is requested, the following should be attached as supporting documentation

SECTION K - APPLICATION CERTIFICATION

THE INFORMATION CONTAINED IN THIS FORM MUST BE CERTIFIED BY A RESPONSIBLE OFFICIAL AS DEFINED IN ADEM ADMINISTRATIVE RULE 335-6-6-09 'SIGNATORIES TO PERMIT APPLICATIONS AND REPORTS' (SEE BELOW)

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION. THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS

I FURTHER CERTIFY UNDER PENAL APPLICATION OR ATTACHMENTS TH LOWEST DETECTION LIMIT FOR THE	ERETO WERE PERFORMED	ALYSES PEPORTED AS USING THE EPA APPI	S LESS THA ROVED TES	AN DETECTABLE IN THIS ST METHOD HAVING THE
SIGNATURE OF RESPONSIBLE OFFICIAL	new Va	9/	DATE SIGNED	1-14-11
(TYPE OR PRINT) NAME OF RESPONSIBLE OFFICIAL	Don W. Vaughn			
TITLE OF RESPONSIBLE OFFICIAL	Chief Engineer	- ALDOT		
MAILING ADDRESS 1409 Coli	seum Boulevard			
CITY STATE ZIP Montgomer	v. AL 36110	PHO	ONE 242	2-6318

335-6-6-.09 SIGNATORIES TO PERMIT APPLICATIONS AND REPORTS.

- (1) The application for an NPDES permit shall be signed by a responsible official, as indicated below
- (a) In the case of a corporation, by a principal executive officer of at least the level of vice president, or a manager assigned or delegated in accordance with corporate procedures, with such delegation submitted in writing if required by the Department, who is responsible for manufacturing, production, or operating facilities and is authorized to make management decisions which govern the operation of the regulated facility.
- (b) In the case of a partnership by a general partner
- (c) In the case of a sole proprietorship, by the proprietor, or
- (d) In the case of a municipal state federal or other public entity, by either a principal executive officer, or ranking elected official

⁽¹⁾ Justification for the requested Compliance Schedule (e.g. time for design and installation of control equipment, etc.)


⁽²⁾ Monitoring results for the pollutant(s) of concern which have not previously been submitted to the Department (sample collection dates, analytical results (mass and concentration), methods utilized, MDL/ML, etc. should be submitted as available).

⁽³⁾ Requested interim limitations if applicable

⁽⁴⁾ Date of final compliance with the TMDL limitations, and

⁽⁵⁾ Any other additional information available to support requested compliance schedule

ALDOT CBP SW SITE - PROCESS FLOW DIAGRAM



Site Entrance

Wiregrass Construction

Un-Mined Area

Un-Mined Area

Approximate Proposed Location Discharge Pond

DSN001

Reclamation

Area

Wetlands

Vetland

Attachment 1 to Supplementary Form ADEM Form 311

Alternatives Analysis

Applicant/Project: ALDOT CBP SW AREA

All new or expanded discharges (except discharges eligible for coverage under general permits) covered by the NPDES permitting program are subject to the provisions of ADEM's antidegradation policy. Applicants for such discharges to Tier 2 waters are required to demonstrate "... that the proposed discharge is necessary for important economic or social development." As a part of this demonstration, the applicant must complete an evaluation of the discharge alternatives listed below, including a calculation of the total annualized project costs for each technically feasible alternative (using ADEM Form 312 for public-sector projects and ADEM Form 313 for private-sector projects). Alternatives with total annualized project costs that are less than 110% of the total annualized project costs for the Tier 2 discharge proposal are considered viable alternatives.

Alternative	Viable	Non-Viable	Comment
I Land Application		X	Inadequate land area for water balance
2 Pretreatment/Discharge to POTW		X	Excess flow for discharge to POTW.
3 Relocation of Discharge	×		Discharge point is being changed from previous permit.
4 Reuse/Recycle		X	NA
5 Process/Treatment Alternatives	X		Passive biological treatment preferred to conventional process.
6 On-site/Sub-surface Disposal		X	Site geology is unsuitable for subsurface disposal.
(other project-specific alternatives considered by the applicant; attach additional sheets if necessary)			
7			
8			
9			

Pursuant to ADEM Administrative Code
Rule 335-6-3-.04, I certify on behalf of the
applicant that I have completed an evaluation
of the discharge alternatives identified above,
and reached the conclusions indicated.

Signature:
(Professional Engineer)

Date:
1-14-11

(Supporting documentation to be attached, referenced, or otherwise handled as appropriate.)

Calculation of Total Annualized Project Costs for Public-Sector Projects *

A. Capital Costs		
Capital Cost of Project	\$	
Other One-Time Costs of Project (Please List, if any)		
Site Reclamation, construction of discharge pond and outlet structure, deepening of	\$	
dewatering pond	\$	
	\$	
Total Capital Costs (Sum column)	\$	(1)
Portion of Capital Costs to be Paid for with Grant Monies	\$	(2)
Capital Costs to be Financed [Calculate: (1) ~ (2)]	\$	(3)
Type of Financing (e.g., G.O. bond, revenue bond, bank loan)	***************************************	
Interest Rate for Financing (expressed as decimal)		(i)
Time Period of Financing (in years)	-	(n)
Annualization Factor $\frac{i}{(1+i)^m-1}+i$		(4)
Annualized Capital Cost [Calculate: (3) x (4) }		(5)
B. Operating and Maintenance Costs		
Annual Costs of Operation and Maintenance (including but not limite permitting fees, waste disposal charges, repair, administration and rep below.)	d to: monitorir placement.) (Pl	ng, inspection, ease list
Environmental monitoring, pumping system operation site maintenance, security	\$	
	\$	
	\$	
	\$	
Total Annual O & M Costs (Sum column)	\$	(6)
C. Total Annual Cost of Pollution Control Project		
Total Annual Cost of Pollution Control Project [(5) + (6) [\$	(7)

ADEM Form 312 8 02

^{*} Capital, operating and maintenance costs are yet to be determined.

Calculation of Total Annualized Project Costs for Private-Sector Projects

Capital Costs to be Financed (Supplied by applicant)	\$	(1)
Interest rate for Financing (Expressed as a decimal)		(i)
Time Period of Financing (Assume 10 years*)	10 years	(n)
Annualization Factor = $\frac{i}{(1+i)^{10}-1}$ + i		(2)
Annualized Capital Cost [Calculate: (1) x (2)]	\$	(3)
Annual Cost of Operation and Maintenance (including but not limited to monitoring, inspection, permitting fees, waste disposal charges, repair, administration and replacement)	\$	(4)
Total Annual Cost of Pollution Control Project [(3)+(4)]	S	(5)


ADEM Form 313 8/02

While actual payback schedules may differ across projects and companies, assume equal annual payments over a 10-year period for consistency in comparing projects.

For recurring costs that occur less frequently than once a year, pro rate the cost over the relevant number of years (e.g., for pumps replaced once every three years, include one-third of the cost in each year).

Please print or type in the unshaded areas only.						Form Approved, OMB No. 2040-0	Form Approved. OMB No. 2040-0086.					
FORM		U.S. ENVIRONMENTAL PROTECTION AGENCY				011						
1	SEPA	GENERAL INFORMATION Consolidated Permits Program F						*/A C				
GENERAL					uctions" hef				13	14 15		
LABEL	ITEMS						GENERAL INSTRU		\$			
							If a preprinted label has been designated space. Review the information	nation o	arefull	y, if any of it		
I. EPA I.D. NUMBER							is incorrect, cross through it and en appropriate fill-in area below. Also, if	any of	the pre	printed data		
III. FACILITY	NAME	PLEASE	PLA	E LA	BEL IN THE	s s		se pro	nde it l	n the proper		
V. FACILITY	MAILING						fill-in area(s) below if the label is oneed not complete items I, III, V, a					
ADDRESS							must be completed regardless). Con has been provided. Refer to the ins					
VI. FACILITY LOCATION data is collected.												
II. POLLUTANT	CHARACTERIS	TICS				•	Source to contracting.					
INSTRUCTION	S: Complete A th	rough J to determine whethe	r you	need to	o submit an	y F	permit application forms to the EPA. If you answer "yes" to an	ov que	stions	vou must		
submit this form	n and the supplei of to each question	mental form listed in the pare in, you need not submit any o	nthesi I these	s follow forms	wing the qu s. You may	esi an	tion. Mark "X" in the box in the third column if the supplement swer "no" if your activity is excluded from permit requirement	stal for	m ie s	ttached if		
instructions. Se	e also, Section D	of the instructions for definition	ons of	bold-	aced terms	B.		,				
			YES	Mari NO	FORM			YES	Meri			
	SPECIFIC QU				ATTACHEO	L	SPECIFIC QUESTIONS	755	2	FORM ATTACHED		
		ned treatment works which are of the U.S.? (FORM 2A)		X		B	 Does or will this facility (either existing or proposed) include a concentrated animal feeding operation or 		\vee			
	_	•	L			ļ	aquatic animal production facility which results in a		\triangle			
C Is this a faci	ility which corren	tly results in discharges to	16	17	18	<u></u>	discharge to waters of the U.S.? (FORM 2B)	19	20	21		
waters of th	e U.S. other tha	n those described in A or B		X		"	 Is this a proposed facility (other than those described in A or B above) which will result in a discharge to waters of 	$ \times $		ı		
above? (FOF	<u> </u>		22	23	24	L	the U.S.? (FORM 2D)	25	26	27		
	il this facility to wastes?(FORM:	reat, store, or dispose of	ŀ	V		F.	 Do you or will you inject at this facility industrial or municipal effluent below the lowermost stratum 					
,	(, 1,,,,,,	-,					containing, within one quarter mile of the well bore,		X	i I		
G Do you or will	If you injust at this	A facility only produced water	26	20	360	ļ.,	underground sources of drinking water? (FORM 4)	31	32	30		
or other flu	G. Do you or will you inject at this facility any produced water or other fluids which are brought to the surface in processes such as mining of sulfur by the Frasch process.											
connection w	connection with conventional oil or natural gas production, inject fluids used for enhanced recovery of oil or natural fuel, or recovery of geothermal energy? (FORM 4)				X							
gas, or injec	t fluids for stora	ge of liquid hydrocarbons?					idel, or recovery or geometrial energy? (FORM 4)					
(FORM 4)			34	35	36			37	38	30		
I. Is this facility of the 28 indu	a proposed statustrial categories	ionary source which is one listed in the instructions and				J	Is this facility a proposed stationary source which is NOT one of the 28 industrial categories listed in the					
which will po	otentially emit 10	0 tons per year of any air		X	İ		instructions and which will potentially emit 250 tons per		X			
	ulated under the (I in an attainment	Clean Air Act and may affect area? (FORM 5)	43	۵۱	42		year of any air pollutant regulated under the Clean Air Act and may affect or be located in an attainment area?	43	- 4	45		
							(FORM 5)					
III NAME OF	FACILITY				., .,							
SKIP CE	BP SW Area	1	,	1 1	1 1	1		1				
15 16 - 29 30								50				
IV. FACILITY C	CONTACT								*****			
- 	-, -, -, -,-,	A. NAME & TITLE (last.	first, e	(nt/e			B. PHONE (area code & no.)					
BERNARI	D'E'COX,	JR.	ı	1 1	1 1 1	ŀ	(334) 206-2270					
15 18							45 48 48 40 51 52- 5	;				
V. FACILTY MAI	LING ADDRESS									-		
c1 1 1 1	, , , , , , , , , , , , , , , , , , , 	A. STREET OR P.I										
3 3700 FA	IRGROUNDS	s ROAD ' '	,	' '	1 1 1	1						
15 16							45					
с	- T - T - T -	B. CITY OR TOWN				-	C. STATE D. ZIP CODE					
4 MONTGON	ÆRÝ '	1 1 1 1 1 1 1 1	1		1) 1	ı	' AL 36110					
5 16 40 41 42 47 55												
VI. FACILITY L												
c	A. STRI	EET, ROUTE NO. OR OTHER	SPE	CIFIC	IDENTIFIE	R						
5 1588 CC	ONCRETE DE	RIVE ' ' ' ' '	•	' '	, , ,	'						
15 16							45					
	T T T T	B. COUNTY	NAME	<u> </u>	7 7							
MONTGOMER	₹ <u>Y</u>			'		_						
46		C. CITY OR TOWN					D. STATE E. ZIP CODE F. COUNTY CO	D.F.				
6 MONTGOM	JERY 1		$\top \top$			Т		UE (if	known	4		
6 110111 0011							AL 36110 1					

CONTINUED FROM THE FRONT		_
VII. SIC CODES (4-digit, in order of priority)		
A. FIRST [(specify) Environmental Remediation	B. SECO	ND
7 4959 Shortonaerical Remediation	$\frac{c}{7}$ (specify)	
15 16 . 19	15 16 19	
C. THIRD	D. FOUR	TH
7	7	
15 16 : 10	15 18 - 19	
VIII. OPERATOR INFORMATION	NAME	
		B. Is the name listed in Item VIII-A also the owner?
8 Alabama Department of Transportat	ion	Z YES D NO
18 16		35 Bb
	riate letter into the answer box: if "Other," specify.)	D. PHONE (area code & no.)
F = FEDERAL S = STATE M = PUBLIC (other than federal or	state) S (specify) ALDOT	(234) 206 2270
P = PRIVATE O = OTHER (specify)		A (334) 206-2270
	<u> </u>	15 6 18 19 21 22 26
E. STREET OR P.O. BOX		
3700 FAIRGROUNDS ROAD		
28		
F. CITY OR TOWN	S] G. STATE H. ZIP CODE	IX. INDIAN LAND
		Is the facility located on Indian lands?
8 MONTGOMERY	AL 36110	DYES ZINO
15 16	40 41 42 47 . 51	57
X. EXISTING ENVIRONMENTAL PERMITS		
A. NPDES (Discharges to Surface Water)	D. PSD (Air Emissions from Proposed Sources)	
9 N AL 0071790		
15 16 17 16 30 15 16	17 18 39	
C T C T	E. OTHER (specify)	
9 U	(specify)	
15 16 17 18 30 15 16	17 18 30	
C. RCRA (Hazardous Wastes)	E. OTHER (specify)	
	(specify)	
15 16 17 18 20 15 16 XI. MAP	17 16 30	
Attach to this application a topographic map of the area extendin	to at least one mile beyond exceeds beyond and	
location of each of its existing and proposed intake and discharge	Structures, each of its hazardous waste treatment, storage, or dis	noted facilities, and each unit where it
injects fluids underground. Include all springs, rivers, and other surfa-	ace water bodies in the map area. See instructions for precise requ	uirements.
XII. NATURE OF BUSINESS (provide a brief description)		
Area groundwater is intercepted in dewatering	pit(s) and associated reclaimed areas for	treatment prior to
surface water discharge.		
_		
XIII. CERTIFICATION (see instructions)		
I certify under penalty of law that I have personally examined and a	m familiar with the information submitted in this application and a	Il attachments and that, based on my
inquiry of those persons immediately responsible for obtaining the l	aformation contained in the analysetime I believe that the late was	tion is true convente and complete !
Am aware that there are significant panelting for the submitting to	mornador contained in the application, i believe mat me informa	non is true, accurate, and complete. I
arn aware that there are significant penalties for submitting faise info	mation, including the possibility of fine and imprisonment.	and is true, accurate, and complete. I
A. NAME & OFFICIAL TITLE (type or print)	rmation, including the possibility of fine and imprisonment. 8. SIGNATURE	C. DATE SIGNED
A. NAME & OFFICIAL TITLE (type or print) Don W. Vaughn, PE	mation, including the possibility of fine and imprisonment.	
A. NAME & OFFICIAL TITLE (type or print) Don W. Vaughn, PE	mation, including the possibility of fine and imprisonment.	
A. NAME & OFFICIAL TITLE (type or print) Don W. Vaughn, PE Chief Engineer	mation, including the possibility of fine and imprisonment.	
A. NAME & OFFICIAL TITLE (type or print) Don W. Vaughn, PE	mation, including the possibility of fine and imprisonment.	
A. NAME & OFFICIAL TITLE (type or print) Don W. Vaughn, PE Chief Engineer COMMENTS FOR OFFICIAL USE ONLY	mation, including the possibility of fine and imprisonment.	
A NAME & OFFICIAL TITLE (type or print) Don W. Vaughn, PE Chief Engineer COMMENTS FOR OFFICIAL USE ONLY	mation, including the possibility of fine and imprisonment.	



Soil Map—Elmore County, Alabama, and Mongomery County, Alabama

								Enem Anne	oved Otto Na	2040-0096 Am	nonval evnirer 9 24 5
				EPA I	.D. NUMBER	R (sopy from l	tem 1 of Forn		UVEU. UNIB NO	. 2040-0006, Ар	proval expires 8-31-9
Please print or	type in the	unshaded	areas only				·				
2D NPDES	Ş E	PA		Appli				d New Di scharge		rs Wastew	ater
I. Outfall Los	cation										
		e latitude	and longitud	le of its loca	ation to the	nearest 15	seconds and	the name of t	the receiving	water.	
Outfall Nu			Latitude			Longitude		Receiving Wa	ater (name)		
(list)		Deg.	Min.	Sec.	Deg.	Min.	Sec.	TIM NA - Na -	D.:		
001		32.00	24.00	10.00	86.00	17.00	42.00	UT Alabama	kiver		
											······································
					·						
II. Discharge	Date (W	hen do vo	u expect to	begin disch	arging?)	<u> </u>	<u> </u>	<u> </u>			
				Jog., 0.22.	gg,,	Disc	narge	to begi:	n date	permit	is issue
III. Flows, Sc											
wastewa	ater, cooli	ng water.	a description and storm dditional she	water runoff	f; (2) The a	s contributir verage flow	ng wastewai contributed	ter to the efflu I by each oper	uent, includin ration; and (3	g process wa) The treatme	stewater, sanitary nt received by the
Outfall Number		1. Operati	ons Contrib (<i>List</i>)	uting Flow			Average Flo				nent es from Table 2D-1
001	Grou	ndwate	r/Stormw	ater	~1,	000,000	gpd*		1-F, 1-U,	4-A	
			<u> </u>	· · · · · · · · · · · · · · · · · · ·							

		·····									
		·······									
		··········									

E	B. Attach a line drawing showing the water flow through the facility. Indicate sources of intake water, operations contributing wastewater to the effluent, and treatment units labeled to correspond to the more detailed descriptions in Item III-A. Construct a water balance on the line drawing by showing average flows between intakes, operations, treatment units, and outfalls. If a water balance cannot be determined (e.g., for certain mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection or treatment measures.									
		storm runoff, leaks, or sp ES (complete the following		y of the discl	narges o	described in Items II		seasonal?		
-			<u> </u>		1. Fred	quency	2. Flow			
		Outfall		a. Day		b. Months	a. Maximum Daily b. Maximum			
		Number		Per We (specify av	ek	Per Year (specify average)	Flow Rate (in mgd)	Total Volume (specify with units)	c. Duration (in days)	
-					crage/	T			·····	
		001		5		12	1.0	1,000,000 qallons	< 7	
								34110110		
						ļ				
				-						
							ļ			
								:		
			J							
-	. Production									
	t there is an a	pplicable production-ball, not design), express	ased effluer	nt guideline	or NSP	S, for each outfall I	ist the estimated lev	el of production (pro	pjection of actual	
6	operation. If pro	oduction is likely to vary	, you may a	also submit a	iternativ	ve estimates (attach	a separate sheet).	o o, ioi each of th	e ilist o years of	
	Year	A. Quantity Per Day	B. Units C	Of Measure		r. Oni	eration, Product, Mat	erial etc (specifi)		
		1				о. Орг		onar, etc. (apechy)		
									.	
										
			1							

CONTINUED FROM THE FRONT	EPA I.D. NUMI	BER (copy from Item 1	of Form 1)	Outfall Number			
V. Effluent Characteristics							
A and B: These items require you to report estimated amounts (both concentration and mass) of the pollutants to be discharged from each of your outfalls. Each part of this item addresses a different set of pollutants and should be completed in accordance with the specific instructions for that part. Data for each outfall should be on a separate page. Attach additional sheets of paper if necessary.							
General Instructions (See table 2D-2 for Pollutants) Each part of this item requests you to provide an estimated daily maximum and average for certain pollutants and the source of information. Data for all pollutants in Group A, for all outfalls, must be submitted unless waived by the permitting authority. For all outfalls, data for pollutants in Group B should be reported only for pollutants which you believe will be present or are limited directly by an effluent limitations guideline or NSPS or indirectly through limitations on an indicator pollutant.							
1. Pollutant	2. Maximum Dally Value (include units)	3. Average Daily Value (include units)		4. Source (see instructions)			
Trichloroethylene	< 5 ppb	< 5 ppb	2				

CONTINUED FROM THE FRONT	EPA I.D. NUMBER (copy from item 1 of Form 1)					
Use the space below to list any of the po- discharged from any outfall. For every pollu-	Illutants listed in Table 2D-3 of the instructions which you know or have reason to believe will be tant you list, briefly describe the reasons you believe it will be present.					
1. Pollutant 2. Reason for Discharge						
Trichloroethylene	Groundwater containing dissolved Trichloroethylene flows from the ALDOT CBP is intercepted at an inactive sand and gravel pit (formally "North Montgomery Materials"). The groundwater is pumped through a series of ponds and subsequently discharged as surface water (DSN-001) to a UT of the Alabama River. No TCE is expected to be present in the discharge at DSN-001.					
VI. Engineering Report on Wastewater Treat	ment					
	erning your wastewater treatment, including engineering reports or pilot plant studies, check the					
Report Available B. Provide the name and location of any existing the second s	No Report Sting plant(s) which, to the best of your knowledge resembles this production facility with respect to					
production processes, wastewater constituents, or wastewater treatments.						
Name None	Location					
e						

EPA LC). NUMBER	(copy from	Item 1	of Form 1)

VII.	Other	Information	(Optional)
------	-------	-------------	------------

Use the space below to expand upon any of the above questions or to bring to the attention of the reviewer any other information you feel should be considered in establishing permit limitations for the proposed facility. Attach additional sheets if necessary.

Environmental monitoring information for groundwater and surface water at the site are routinely reported to ADEM in quarterly status reports and in the DMRs for NPDES Permit # 0071790.

VIII	CERTIE	ICATI	ON

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

A. Name and Official Title (type or print)	B. Phone No.
Don W. Vaughn, Chief Engineer	(334) 242-6318
C. Signature	D. Date Signed
alw Vangh	1-14-11

EPA Form 3510-2D (Rev. 8-90)